


INDUSTRIAL COMPONENT DATA

2CPX052016R9999 ABB A24

Arm.IP44,650x550x215(4RU),pta.met.

Brand: ABB | Manufacturer Part Number: 2CPX052016R9999



Manufacturer	ABB
MPN / Reference	2CPX052016R9999
Catalog number	052016
Category	Empty cabinet
Minimum order	1 Pcs
Document ID	EO-3AF58602B3
Generated	2026-08-04

Product Overview

A24 Arm.IP44,650x550x215(4RU),pta.met.

ComfortLine A Wall-mounting cabinet, Surface mounted/recessed mounted/partially recessed mounted, 96 SU, Isolated (Class II), IP44, Rows: 4, 650 mm x 550 mm x 215 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **ABB > Boxes and cabinets**

Additional Product Information

ABB EcoSolutions

Environmental Product Declaration - EPD 2CPC000001E0201

Technical

Number of Flange Openings 2

Number of Conduit Inlets 102

Number of Rows 4

Configuration Type pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module on EDF-mounting frame

Cover Plate Type Door

Enclosure Type Wall-mounting cabinet

Door Type Single

Accessories Available Yes

DIN Place Units 96

Electrical

Rated Current (In) 250 A

Power Loss φ_t = 20K 56 W φ_t = 25K 74 W φ_t = 30K 92.8 W**Design**

Surface Finishing Powder-coated

Housing Material Steel plate/plastic

Material sheet steel

Door Material Steel Sheet

Cover Style with Notch

RAL Number RAL 9016 - Traffic White

Color Traffic white

Number of Modules 96

Material Compliance

RoHS Declaration 2CPC100014X0201

RoHS Information Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

RoHS Date 20240903

REACH Declaration 2CPC100005X0201

REACH Information False - does not contain substances > 0.1 mass percentage

REACH Date 20240902

Conflict Minerals Reporting Template (CMRT) 9AKK108468A3363

WEEE Category Product Not in WEEE Scope

WEEE B2C / B2B Business To Consumer

Environmental

Degree of Protection IP44

Protection Class Isolated (Class II)

Dimensions

Width in Number of Modular Spacings 24

Product Net Width 550 mm

Product Net Height 650 mm

Product Net Depth / Length 215 mm

Product Net Weight 11.733 kg

Section Width 2

Built-In Depth (t2) 190 mm

Thickness Cabinet Plate 0.9 mm

Door Plate 0.9 mm

Dimension Diagram 2CPC00...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send ABB / 2CPX052016R9999 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.