

INDUSTRIAL COMPONENT DATA

2CCA703150R0001 ABB E215-16-10 B Push button grey 16A 1NO+1NC 250VAC

Brand: ABB | Manufacturer Part Number: 2CCA703150R0001



Manufacturer	ABB
MPN / Reference	2CCA703150R0001
Catalog number	703150
Category	Push button for distribution board
Minimum order	10 Pcs
Document ID	EO-32659C30CF
Generated	2026-08-04

Product Overview

E215-16-10 B Push button grey 16A 1NO+1NC 250VAC

E215-16-11B 16A Colorless Push Button 1NA1NC

Pushbutton, 16 A, acc. to EN 250 V AC, 1NO, 1NC, El. Color: Grey, MW: 0.5

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	ABB > Other modular devices > E210
--------------	------------------------------------

Additional Product Information

Technical

Maximum Switching Voltage 250 V

Number of Main Contacts NC 1

Number of Main Contacts NO 1

Number of Poles 2P

Tightening Torque 1.2-1.5 N·m

Switch Type Double Interrupting Contacts

Material of Conductor Copper

Remarks Sealable in the On and Off positions

Connecting Capacity Solid 1x1...6 mm²

Solid 2x2.5 mm²

Flexible 1x0.75...2x2.5 mm²
Electrical

Rated Voltage (Ur) Lamp 48 ... 48 V
Rated Operational Voltage acc. to EN 250 V AC
acc. to UL 508 240 V AC
Rated Current (In) 16 A
Rated Frequency (f) 50/60 Hz
Power Loss 0.5 W
Power Watt 0.72 W
Number of Contacts NC 1
Number of Contacts NO 1
Number of Auxiliary Contacts CO (SPDT) 0
Design
Color Grey
Control Element Color Grey
Material Compliance
RoHS Declaration 2CCC441014D0201
RoHS Information Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date 20170426
REACH Declaration 2CCC005047D0201
REACH Information False - does not contain substances > 0.1 mass percentage
REACH Date 20190425
Conflict Minerals Reporting Template (CMRT) 9AKK108468A3363
WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B Business To Consumer
Environmental
Ambient Air Temperature Operation -25...+55 °C
Storage -40...+70 °C
Degree of Protection IP20
Environmental Information 2CCC441003C0201
Dimensions
Width in Number of Modular Spacings 0.5
Product Net Width 9 mm
Product Net Height 85 mm
Product Net Depth / Length 68 mm
Product Net Weight 49 g
Built-In Depth (t2) 75 mm
Engineering
EPLAN Data 9AAC...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send ABB / 2CCA703150R0001 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.