

INDUSTRIAL COMPONENT DATA

2TLA020006R2400 ABB JSHD4-4 Top part, Front button, LED, Anti-tamper tape

Brand: ABB | Manufacturer Part Number: 2TLA020006R2400



Manufacturer	ABB
MPN / Reference	2TLA020006R2400
Catalog number	020006
Category	Agreement switch
Minimum order	1 Pcs
Document ID	EO-488264F23A
Generated	2026-08-05

Product Overview

JSHD4-4 Top part, Front button, LED, Anti-tamper tape

JSHD4-4 Mod. Sup. + 2 LEDs + Puls. Front.

JSHD4-4 Three-position handheld device - Top part

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **ABB > Fences and rolling doors > Control devices**

Additional Product Information

Three-position device incl. LEDs and front button.

Ordering

EAN:7350024459753

Minimum Order Quantity:1 piece

Customs Tariff Number:85369085

Dimensions

Product Net Width:0.056m

Product Net Height:0.157m

Product Net Depth:0.34m

Product Net Weight:0.139kg

Container Information

Package Level 1 Units:1 piece

Package Level 1 Width:0.286 m

Package Level 1 Height:0.103 m
Package Level 1 Length:0.126 m
Package Level 1 Gross Weight:0.283 kg
Additional Information
Product Main Type:JSHD4
Product Name:Top Part For JSHD4
Certificates and Declarations (Document Number)
Data Sheet, Technical Information:2TLC172001C0202_chapter11
Declaration of Conformity - CE:2TLC172022D0201
Classifications
ETIM 4:EC002611 - Control switch
ETIM 5:EC002611 - Control switch
Object Classification Code:B
ETIM for 2TLA020006R2400 Sensors (EC002571)
Feature Name
Feature Value
Forced opening (EF006694)
No
Suitable for safety functions (EF001597)
Yes
Cross-wire monitoring possible (EF007445)
Yes
With status indication (EF001602)
Yes
Type of switching contact (EF003591)
Quick-break switch
Rated operation current I_e at DC-12, 24 V (EF007043)
0.02 A
Number of contacts as normally open contact (EF008256)
0
Number of contacts as normally closed contact (EF008255)
0
Number of contacts as change-over contact (EF008257)
2
Number of extra push buttons (EF009213)
1
Performance level according to EN ISO 13849-1 (EF007399)
Level e
Degree of protection (IP) (EF005474)
IP65
Degree of protection (NEMA) (EF011959)
1

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send ABB / 2TLA020006R2400 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.