

INDUSTRIAL COMPONENT DATA

M3AA 63B 3GAA061312-ASF ABB Aluminum Engine for Process Industry 0.25 kW, 3000 rpm, 230/400 V, B3 mounting, ..

Brand: ABB | Manufacturer Part Number: M3AA 63 B



Manufacturer	ABB
MPN / Reference	M3AA 63 B
Catalog number	3GAA061312-ASF
Category	Cast iron M2BA and aluminium M3AA motors
Minimum order	1 unit
Document ID	EO-5A7AF9B90A
Generated	2026-08-03

Product Overview

M3AA 63B 3GAA061312-ASF ABB Aluminum Engine for Process Industry 0.25 kW, 3000 rpm, 230/400 V, B3 mounting, ..

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path ABB > Cast iron M2BA and aluminium M3AA motors > IE2

Additional Product Information

Product ID:3GAA061312-ASF

ABB Type Designation:M3AA 63B 2

Catalog Description:No Description Available

Additional Information

ABB Type Designation:M3AA 63B 2

Altitude:1000 m

Ambient Temperature:40 °C

Bearing:6201-2Z/C3

Bearing NDE:6201-2Z/C3

Country of Origin:China (CN)

Customs Tariff Number:85015100

Electrical Data:Conn Temp Class Freq Voltage Power Speed Current Power Factor Efficiency Torque IS/IN

Y -- 50 Hz 400 V 0.25 kW 2790 r/min 0.66 A 0.760 64.80 % 0.86 N·m 4.80

D -- 50 Hz 230 V 0.25 kW 2790 r/min 1.14 A 0.760 64.80 % 0.86 N·m 4.80

Y -- 60 Hz 460 V 0.25 kW 3420 r/min 0.59 A 0.710 68.00 % 0.69 N·m 5.70

Frame Material:Aluminum

Gross Weight:5.1kg

IC Class:IC411

IE Class Data (50 Hz):IE Class IE2

Full Load (100%) 64.8 %

Partial Load (75%) 63.2 %

Partial Load (50%) 56.7 %

IE Class Data (60 Hz):IE Class IE2

Full Load (100%) 68.0 %

Partial Load (75%) 65.4 %

Partial Load (50%) 57.8 %

IM Class:IMB3 IM1001

IP Rating:IP55

Insulation Class:ICLF

Made To Order:No

Minimum Order Quantity:1 piece

Number of Poles (High):2

Order Multiple:1 piece

Package Level 1 Units:0 carton

Product Name:3-Phase squirrel cage motor

Product Net Weight:4.1kg

Product Type:3AA2__M3AA_IE2_AA

Quote Only:No

Replaced Product ID (OLD):3GAA061002-ASE

3GAA061062-ASA

3GAA061312-ASE

3GVA061002-ASC

3GAA061312-ASC

3GAA061002-ASC

Selling Unit of Measure:piece

Stocked At (Warehouses):Menden, Germany

Sant Quirze del Vallés - BCN, Spain

Vittuone, Italy

Temperature Class Default:--

Terminator Box Location:D-End top

Two S...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send ABB / M3AA 63 B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.