

INDUSTRIAL COMPONENT DATA

1SCA022777R0410 ABB OT315E13CP CHANGE-OVER SWITCH

Brand: ABB | Manufacturer Part Number: 1SCA022777R0410



Manufacturer	ABB
MPN / Reference	1SCA022777R0410
Catalog number	022777
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-5068186D26
Generated	2026-07-31

Product Overview

OT315E13CP CHANGE-OVER SWITCH

Switch OT315E13CP

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path ABB > Manual Switches > OT_C

Additional Product Information

ABB EcoSolutions

End Of Life Disassembling Instructions 1SCC303051M0201

Environmental Information 1SCC303050D0201

Material Compliance

Conflict Minerals Reporting Template (CMRT) 9AKK108467A5658

REACH Declaration 1SCC011021D0201

RoHS Declaration 1SCC011020D0201

RoHS Information Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information 1SCC303003C0201

Instructions and Manuals 1SCC303008M0208

Environmental

Degree of Protection Front IP20

Environmental Information 1SCC303050D0201

Pollution Degree 3

Ordering

Minimum Order Quantity 1 piece

Customs Tariff Number 85365080

Country or Territory of Origin Finland

Dimensions

Product Net Width 265 mm

10.43 in

Product Net Height 185 mm

7.28 in

Product Net Depth / Length 203 mm

7.99 in

Product Net Weight 7.415 kg

16.35 lb

Container Information

Package Level 1 Units box 1 box

Package Level 1 Width 240 mm

9.45 in

Package Level 1 Depth / Length 325 mm

12.8 in

Package Level 1 Height 218 mm

8.58 in

Package Level 1 Gross Weight 7.865 kg

17.34 lb

Package Level 1 EAN 6417019253114

Technical

Conventional Free-air Thermal Current (I_{th}) ? = 40 °C 315 A

Conventional Thermal Current (I_{th}) Fully Enclosed 315 A

Degree of Protection Front IP20

Distance Between Phases Standard

Handle Color Black

Handle Type Handle and shaft included

Mounting Type Base mounting

Number of Poles 3P

Operating Mode Front

Pollution Degree 3

Position of Line Terminals Top In - Bottom Out, Bottom In - Top Out

Power....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send ABB / 1SCA022777R0410 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.