

INDUSTRIAL COMPONENT DATA

2141 BTCINO MOD TERSYSTEM 1PULSADOR 1COL

Brand: BTICINO | Manufacturer Part Number: 2141



Manufacturer	BTICINO
MPN / Reference	2141
Catalog number	2141
Category	Functional module for door communication
Minimum order	1 Pcs
Document ID	EO-255650ED72
Generated	2026-07-29

Product Overview

MOD TERSYSTEM 1PULSADOR 1COL

MOD TERSYSTEM 1PUSH BUTTON 1COL

Arteor 2 Gang 13A Clean Earth Double Pole Switched Socket Outlet Red

Tersystem module 1 push button 1 column

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path BTICINO > DOOR PHONES SPARE PARTS

Additional Product Information

Model British Standard

Concurrently switching neutral conductor Yes

Protective contact Flat

Number of active contacts (round) 0

Number of active contacts (flat) 4

Number of active contacts (square) 0

Assembly arrangement Basic element with full cover plate

With complementary luminous signal No

Number of ports USB-A 0

Number of ports USB-C 0

Number of socket outlets 2

Number of modules (module system) 4

Number of socket outlets switchable 2

Number of phases 1
Imprint/indication Other
Connection type Screwed terminal
With hinged lid No
With enhanced contact protection Yes
Label space/information surface No
Colour Other
Metallic colour No
Transparent No
Lockable No
Eject-mechanism No
Insulated mounting No
With function lighting No
Overvoltage protection No
Fault current protection No
With miniature fuse No
Special power supply Additional safety power supply (red)
Mounting method Flush-mounted
Type of fastening Mounting with screw
Material Plastic
Material quality Thermoplastic
Halogen free Yes
Surface protection Untreated
Surface finishing Glossy
Antimicrobial treatment No
With loop through function Yes
With on/off switch Yes
Colour of switch operator Other
Rotated central insert No
Nominal current 13 A
Nominal voltage 250 V
Frequency 50-60 Hz
Suitable for degree of protection (IP) IP20
degree of impact strength (IK) IK04
Device width 143.5 mm
Device height 83.5 mm
Device depth 19.9 mm
Compatible with Apple HomeKit No
Compatible with Amazon Alexa No
Compatible with Google Assis...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / 2141 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.