


INDUSTRIAL COMPONENT DATA

351000 BTCINO BT/2H-MÓD.BASIC AUDIO

Brand: BTCINO | Manufacturer Part Number: 351000



Manufacturer	BTICINO
MPN / Reference	351000
Catalog number	351000
Category	Push button panel door communication
Minimum order	1 Pcs
Document ID	EO-1A38BDFC69
Generated	2026-07-31

Product Overview

BT/2H-MÓD.BASIC AUDIO

BT/2H-MODE. BASIC AUDIO

Sfera Modular Entrance Panel Basic Speaker Module

Basic audio phonic group 2 wires for SFERA NEW & ROBUR plates

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **BTICINO > PLATES AND DOOR PHONES EQUIPMENT**

Additional Product Information

Number of call buttons 2

Material call buttons Plastic

Material front Other

Front plate height 91 mm

Front plate width 115 mm

Built-in depth 20 mm

Mounting method Surface mounted

Installation technique Bus system

Colour Other

Degree of protection (IP) IP54

degree of impact strength (IK) IK07

Operating / setting temperature -15-50 °C

Storage temperature -20-70 °C

Voltage type AC/DC
Nominal voltage 18-240 V
Supply current 0.04-1 A
Frequency 50-60 Hz
Sound level 80 dB
Standby consumption 40 mA
Halogen free Yes
Cable nature for connection Flexible
Cable section 1-2.5 mm²
Label space/information surface Yes
Fitted with rainproof plate protection Yes
With complementary luminous signal No
Control mode Wired
Contains Batteries and/or Accumulator No
Hands free Yes
Loudness setting Yes
Addressable No
Door entry system with mobile application Yes
Remote opening of gate / Electric door opener No
Camera type Adjustable
Video recorder angle 100 °
Max distance between internal and external unit 150 m
Communication rank type Other
IEC code (Pack1) Not applicable
Battery ou Accumulator (Pack1) Not applicable
Element Composition (Pack1) Not applicable
Connected object No
ETIM for 351000 Communication systems (EC001351)
Feature Name
Feature Value
Material call buttons (EF002760)
Plastic
Number of call buttons (EF001472)
2
Degree of protection (IP) (EF005474)
IP54
Front plate width (EF004689)
115 mm
Installation technique (EF001474)
Bus system
Mounting method (EF000003)
Surface mounted
Front pl...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / 351000 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.