

**INDUSTRIAL COMPONENT DATA**

# 351300 BTICINO BT/2H-MÓD.A/V G. OPENING

Brand: BTICINO | Manufacturer Part Number: 351300



|                 |                                      |
|-----------------|--------------------------------------|
| Manufacturer    | BTICINO                              |
| MPN / Reference | 351300                               |
| Catalog number  | 351300                               |
| Category        | Push button panel door communication |
| Minimum order   | 1 Pcs                                |
| Document ID     | EO-A30E262B89                        |
| Generated       | 2026-07-29                           |

## Product Overview

BT/2H-MÓD.A/V G. OPENING

BT/2H-MODE. A/V G.APERTURE

Sfera Modular Entrance Panel Audio Video Wide Angle Camera Module

Large aperture audio/video module 2 wires for SFERA NEW &amp; ROBUR boards

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **BTICINO > PLATES AND DOOR PHONES EQUIPMENT**

## Additional Product Information

Number of call buttons 2

Material call buttons Plastic

Material front Other

Front plate height 91 mm

Front plate width 115 mm

Built-in depth 20 mm

Mounting method Flush-mounted

Installation technique Bus system

Colour Other

Degree of protection (IP) IP54

degree of impact strength (IK) IK07

Operating / setting temperature -15-50 °C

Storage temperature -20-70 °C

Voltage type AC/DC  
Nominal voltage 18-27 V  
Supply current 0.04-1 A  
Frequency 50-60 Hz  
Sound level 80 dB  
Standby consumption 40 mA  
Halogen free Yes  
Cable nature for connection Flexible  
Cable section 1-2.5 mm<sup>2</sup>  
Label space/information surface Yes  
Fitted with rainproof plate protection Yes  
With complementary luminous signal No  
Control mode Wired  
Contains Batteries and/or Accumulator No  
Hands free Yes  
Loudness setting Yes  
Addressable No  
Door entry system with mobile application Yes  
Remote opening of gate / Electric door opener Yes  
Camera type Adjustable  
Video recorder angle 100 °  
Max distance between internal and external unit 150 m  
Communication rank type Other  
IEC code (Pack1) Not applicable  
Battery ou Accumulator (Pack1) Not applicable  
Element Composition (Pack1) Not applicable  
Connected object No  
ETIM for 351300 Communication systems (EC001351)  
Feature Name  
Feature Value  
Material call buttons (EF002760)  
Plastic  
Number of call buttons (EF001472)  
2  
Degree of protection (IP) (EF005474)  
IP54  
Front plate width (EF004689)  
115 mm  
Installation technique (EF001474)  
Bus system  
Mounting method (EF000003)  
Flush mounted  
Front plate....

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / 351300 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.