


INDUSTRIAL COMPONENT DATA

672 BTCINO FEEDER TERSYSTEM AUDIO

Brand: BTCINO | Manufacturer Part Number: 672



Manufacturer	BTCINO
MPN / Reference	672
Catalog number	672
Category	Power supply door communication
Minimum order	1 Pcs
Document ID	EO-B50E410EB1
Generated	2026-08-01

Product Overview

FEEDER TERSYSTEM AUDIO

TERSYSTEM AUDIO FEEDER

Classe 100 2 Wire Hands Free Video Internal Unit with Inductive Loop and 5" Colour LCD Display

Tersystem audio feeder

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTCINO > DOOR PHONES SPARE PARTS
--------------	----------------------------------

Additional Product Information

With video Yes

Installation technique Bus system

Mounting method Surface mounted

Material Plastic

Picture system PAL

Property picture system Colour

With memory function No

Overhear protected Yes

Operation door lock Yes

Control extra function(s) Yes

Hands free Yes

Function lamps No

Can be connected to smartphone No

Screen diagonal 127 mm
Screen diagonal (inch) 5 inch
Hearing aid compatible Yes
With automatic door opener Yes
Colour White
Type of interface Other
Mutable call tone Yes
Internal communication Yes
Specific call tone Yes
Additional device connectable Yes
Loudness setting Yes
With touch screen No
Width 164 mm
Height 165 mm
Depth 20.5 mm
Compatible with Apple HomeKit No
Compatible with Google Assistant No
Compatible with Amazon Alexa No
IFTTT support available No
degree of impact strength (IK) IK07
Degree of protection (IP) Not applicable
Operating / setting temperature 5-40 °C
Storage temperature -10-70 °C
Voltage type DC
Nominal voltage 18-27 V
Supply current 0.010-0.25 A
Frequency 0-0 Hz
Sound level 82 dB
Standby consumption 10 mA
Halogen free Yes
Antimicrobial treatment No
Cable nature for connection Flexible or rigid
Cable section 0.1-2.5 mm²
Label space/information surface No
Fitted with USB plug Yes
Fitted with rainproof plate protection No
With complementary luminous signal Yes
Control mode Wired
Contains Batteries and/or Accumulator No
Additional unit Yes
Maximum number of additional screens 63
Addressable Yes
Door entry system with mobile application No
Numb...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / 672 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.