

INDUSTRIAL COMPONENT DATA

A5780N BTCINO MX-FLASHLIGHT AUTO LED 230V 2M

Brand: BTICINO | Manufacturer Part Number: A5780N



Manufacturer	BTICINO
MPN / Reference	A5780N
Catalog number	A5780N
Category	Emergency luminaire
Minimum order	5 Pcs
Document ID	EO-E175284C34
Generated	2026-07-27

Product Overview

MX-FLASHLIGHT AUTO LED 230V 2M

MX-AUTO LED FLASHLIGHT 230V 2M

Lantern autonomous removable LED Mâtix - 2 modules - White

Removable standalone LED flashlight Mâtix - 2mod - White

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path BTICINO > MATIX MECHANISMS

Additional Product Information

Product features

Lamps - LED, 230 V~ high-brightness - independent Operation in the event of power outage - battery life of 2 h - Includes charging base - 2 batteries Ni-Cd - 2 modules - White-LED white light of high luminous efficiency. ON/OFF switch and push-button FICKLE for increasing the brightness when necessary. Replaceable batteries Ni-MH no memory effect.

General characteristics

Mâtix - lighting, buoys, signaling and security

ETIM for A5780N Luminaires (EC001957)

Feature Name

Feature Value

Lamp type (EF002423)

LED non-replaceable

Mounting method (EF000003)

Built-in

Material cover (EF004284)
Plastic opal
Built-in height/depth (EF023518)
39 mm
With remote switch connection (EF007947)
No
Nominal current (EF009345)
450 mA
Monitoring equipment (EF008091)
None
Lamp holder (EF000048)
Other
Height/depth (EF001456)
43 mm
Width (EF000008)
44 mm
Built-in width (EF000846)
44 mm
Built-in length (EF004265)
47 mm
Degree of protection (IP) (EF005474)
Other
Suitable for labelling type (EF001277)
Sticker
Housing material (EF001596)
Plastic
Voltage type (EF000187)
AC
Housing colour (EF000136)
White
With light source (EF005905)
Yes
Nominal voltage (EF005127)
110 V
Power supply system (EF000233)
Peripheral (individual battery)
Battery technology (EF004351)
NiMH
Nominal operation time (EF012518)
2 h
Length (EF001438)
47 mm
Suitable for continuous circuit (EF017056)
Yes

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / A5780N with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.