

## INDUSTRIAL COMPONENT DATA

## A5780N BTCINO MX-FLASHLIGHT AUTO LED 230V 2M

Brand: BTICINO | Manufacturer Part Number: A5780N



|                 |                     |
|-----------------|---------------------|
| Manufacturer    | BTICINO             |
| MPN / Reference | A5780N              |
| Catalog number  | A5780N              |
| Category        | Emergency luminaire |
| Minimum order   | 5 Pcs               |
| Document ID     | EO-E175284C34       |
| Generated       | 2026-08-01          |

## Product Overview

MX-FLASHLIGHT AUTO LED 230V 2M

MX-AUTO LED FLASHLIGHT 230V 2M

Lantern autonomous removable LED Mâtix - 2 modules - White

Removable standalone LED flashlight Mâtix - 2mod - White

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification &amp; Catalog Path

Catalog path BTICINO &gt; MATIX MECHANISMS

## Additional Product Information

## Product features

Lamps - LED, 230 V~ high-brightness - independent Operation in the event of power outage - battery life of 2 h - Includes charging base - 2 batteries Ni-Cd - 2 modules - White-LED white light of high luminous efficiency. ON/OFF switch and push-button FICKLE for increasing the brightness when necessary. Replaceable batteries Ni-MH no memory effect.

## General characteristics

Mâtix - lighting, buoys, signaling and security

ETIM for A5780N Luminaires (EC001957)

Feature Name

Feature Value

Lamp type (EF002423)

LED non-replaceable

Mounting method (EF000003)

Built-in

Material cover (EF004284)  
Plastic opal  
Built-in height/depth (EF023518)  
39 mm  
With remote switch connection (EF007947)  
No  
Nominal current (EF009345)  
450 mA  
Monitoring equipment (EF008091)  
None  
Lamp holder (EF000048)  
Other  
Height/depth (EF001456)  
43 mm  
Width (EF000008)  
44 mm  
Built-in width (EF000846)  
44 mm  
Built-in length (EF004265)  
47 mm  
Degree of protection (IP) (EF005474)  
Other  
Suitable for labelling type (EF001277)  
Sticker  
Housing material (EF001596)  
Plastic  
Voltage type (EF000187)  
AC  
Housing colour (EF000136)  
White  
With light source (EF005905)  
Yes  
Nominal voltage (EF005127)  
110 V  
Power supply system (EF000233)  
Peripheral (individual battery)  
Battery technology (EF004351)  
NiMH  
Nominal operation time (EF012518)  
2 h  
Length (EF001438)  
47 mm  
Suitable for continuous circuit (EF017056)  
Yes

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / A5780N with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.