

INDUSTRIAL COMPONENT DATA

AM5037N BTCINO MX-PULS DOUBLE LOCK 10A 1M BLAN

Brand: BTCINO | Manufacturer Part Number: AM5037N



Manufacturer	BTICINO
MPN / Reference	AM5037N
Catalog number	AM5037N
Category	Venetian blind switch/-push button
Minimum order	10 Pcs
Document ID	EO-400E071A89
Generated	2026-08-01

Product Overview

MX-PULS DOUBLE LOCK 10A 1M BLAN

Màtix interlocked double push button for blinds - 1 module - White

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTICINO > MATIX MECHANISMS
--------------	----------------------------

Additional Product Information

Overview

Shutter mechanisms - Double interlocked push button - 16A 250 V~ - 1P (NO) + 1P (NO) - White - 1 module.

Product features

Double interlocked push button 1P - 250Va.c.

1 module

White

Screw terminal

10 A, 250 Va.c. 1 P (NA) 1 module

Recommendations / Restrictions

For indoor use only

Highlights

Advantages in installation

Easy to install and uninstall

Advantages in use

Pressing the mechanism activates the shutter. The drive ends when the mechanism is no longer pressed.

specifications

For Venetian blinds Yes

For blinds No

For awnings No

Type of mounting Basic element, Recessed mounted (plaster)

Model 1-pole push button

Number of poles 1

Type of operation Seesaw

With electric lock No

With mechanical lock Yes

Mechanically Driven No

Electronically operated No

Material Plastic

Material quality Thermoplastic

Halogen-free Yes

Surface treatment No treatment

Surface Finish Bright

Attachment Type Other

Connection Method Screw-on terminal

Colour White

RAL number (similar) 9003

Transparent No

Label Space/Print Area No

Suitable for protection grade (IP) IP20

Nominal current 10 A

Nominal Voltage 250 V

Number of buttons 0

Number of modules (in case of modular design) 1

Device width 23 mm

Device height 44 mm

Device Depth 37 mm

Installation Depth 25.5 mm

Min. depth of the recessed box 35.5 mm

Compatible with Apple HomeKit No

Compatible with Google Assistant No

Compatible with Amazon Alexa No

Compatible IFTTT No

Impact resistance IK04

Operating Temperature -5-35 °C

Storage temperature -1...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / AM5037N with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.