

INDUSTRIAL COMPONENT DATA**HC4037 BTCINO AX-PULS DOUBLE LOCK 10A 1M TECH**

Brand: BTICINO | Manufacturer Part Number: HC4037



Manufacturer	BTICINO
MPN / Reference	HC4037
Catalog number	HC4037
Category	Venetian blind switch/-push button
Minimum order	10 Pcs
Document ID	EO-B871970C56
Generated	2026-08-02

Product Overview

AX-PULS DOUBLE LOCK 10A 1M TECH

Push-button double-Axolute interblocao for shutters - 1 module - Tech

Double Axolute interlocked push button for blinds - 1mod - Tech

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO > AXOLUTE****Additional Product Information**

Product features

Mechanisms of blinds - Push button double interblocao - 16 A 250 V~ - 1P (NO) + 1P (NO) - Tech - 1 module General characteristics

Axolute - mechanisms of blinds and ventilation

ETIM for HC4037 Domestic wiring accessories and controls (EC000044)

Feature Name

Feature Value

Mechanical controllable (EF005993)

Yes

Label space/information surface (EF001035)

No

Material (EF002169)

Plastic

Surface finishing (EF006569)

Glossy

Type of fastening (EF002442)

Other

Halogen free (EF000025)

Yes

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Module frame/grid

Connection type (EF000124)

Screw terminal

Nominal voltage (EF000002)

250 V

Transparent (EF006243)

No

Compatible with Apple HomeKit (EF014925)

No

Compatible with Amazon Alexa (EF014927)

No

Compatible with Google Assistant (EF014926)

No

Number of poles (EF001391)

1

Surface protection (EF000139)

Lacquered

Built-in depth (EF000218)

42 mm

Number of buttons (EF003144)

2

RAL-number (similar) (EF003882)

7035

Model (EF000010)

1-pole push button

Suitable for degree of protection (IP) (EF006755)

IP20

Device depth (EF008810)

42 mm

Electronic controllable (EF006570)

No

IFTTT support available (EF011072)

No

Assembly arrangement (EF000005)

Basic unit

Device width (EF008808)

22.3 mm

Device height (EF008809)

45 mm

Rated current (EF000227)

10 A

Colour (EF000007)

Aluminium

Method of operation (EF000006)

Rocker

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / HC4037 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.