

## INDUSTRIAL COMPONENT DATA

## HC4141 BTCINO AX-2P+T 16A/230V 2M TECH

Brand: BTICINO | Manufacturer Part Number: HC4141



|                 |               |
|-----------------|---------------|
| Manufacturer    | BTICINO       |
| MPN / Reference | HC4141        |
| Catalog number  | HC4141        |
| Category        | Socket outlet |
| Minimum order   | 1 Pcs         |
| Document ID     | EO-D236649B4D |
| Generated       | 2026-08-02    |

## Product Overview

AX-2P+T 16A/230V 2M TECH

2P+T Axolute - connection by screw - Tech - 2 modules

Base 2P+T Axolute - Tech - 2mod

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification &amp; Catalog Path

Catalog path BTICINO &gt; AXOLUTE

## Additional Product Information

Product features

Bases 2P+T - 16 A - 250 V~ - Connection by screws - With shutter protection - Is converted into luminous pilot lamps ref.

H4743B/230 - 2 modules - Tech General characteristics

Axolute - bases of power

ETIM for HC4141 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic  
Mounting method (EF000003)  
Flush mounted  
Special power supply (EF001334)  
EV006426  
Connection type (EF000124)  
Screwed terminal  
Fault current protection (EF001333)  
No  
Nominal voltage (EF000002)  
250 V  
Number of modules (module system) (EF009573)  
2  
Compatible with Apple HomeKit (EF014925)  
No  
Eject-mechanism (EF001051)  
No  
Compatible with Amazon Alexa (EF014927)  
No  
Compatible with Google Assistant (EF014926)  
No  
Number of ports USB-C (EF017049)  
0  
Imprint/indication (EF003823)  
None  
With hinged lid (EF000117)  
No  
Number of ports USB-A (EF000997)  
0  
Metallic colour (EF015260)  
No  
With Wi-Fi signal repeater (EF013509)  
No  
RAL-number (similar) (EF003882)  
9006  
Model (EF000010)  
Socket outlet CEE 7/3 (type F)  
Number of socket outlets switchable (EF008814)  
0  
Suitable for degree of protection (IP) (EF006755)  
IP20  
Device depth (EF008810)  
41.5 mm  
Impact strength (EF004293)  
IK00  
Anti-bacterial treatment (EF023790)  
No

Number of active contacts (square) (EF017115)

0

Protective contact (EF017116)

Other

Device width (EF008808)

45 mm

With on/off swit...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / HC4141 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.