

**INDUSTRIAL COMPONENT DATA**

# HC4279C6 BTCINO AX-BASE RJ45 CAT6 UTP 1M TECH

Brand: BTICINO | Manufacturer Part Number: HC4279C6



|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Manufacturer    | BTICINO                                                 |
| MPN / Reference | HC4279C6                                                |
| Catalog number  | HC4279C6                                                |
| Category        | Data communication connection box copper (twisted pair) |
| Minimum order   | 10 Pcs                                                  |
| Document ID     | EO-D981DEF53D                                           |
| Generated       | 2026-08-03                                              |

## Product Overview

AX-BASE RJ45 CAT6 UTP 1M TECH

Base RJ-45 Axolute - Cat. 6 - UTP - 1 module - Tech

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **BTICINO > RJ45 CONNECTORS**

## Additional Product Information

Product features

Databases RJ-45 - Cat. 6 - UTP - 1 module - Tech General characteristics

Axolute - Basis for data - Install in bracket and plate - Bases fast connection without need of tools - Contacts marked with dual colour code

ETIM for HC4279C6 Data networking products (EC001264)

Feature Name

Feature Value

Duct installation (EF002440)

No

With dust cover (EF003893)

Yes

Colour coding (EF007758)

Yes

Degree of protection (IP) (EF005474)

IP21

With label space (EF003456)  
Yes  
Shielded buses (EF002444)  
No  
Separate earthing connection (EF002500)  
No  
Connection type (EF000124)  
Insulation displacement connector  
Type of fastening (EF002442)  
Engage (snap)  
Floor box/subfloor mounted (EF003455)  
No  
Number of modules (module system) (EF009573)  
1  
RAL-number (EF000116)  
0  
Type of connector (EF002935)  
RJ45 8(8)  
Surface mounting (EF003681)  
No  
Separate strain relief (EF002450)  
No  
Mounting method shielding connection (EF002497)  
None  
Device depth (EF008810)  
37.2 mm  
With buses/couplings (EF005043)  
Yes  
Category (EF001619)  
6  
Device width (EF008808)  
22.3 mm  
Assembly arrangement (EF000005)  
Basic unit with central cover plate  
Device height (EF008809)  
45 mm  
Outlet direction (EF000323)  
Straight  
Colour (EF000007)  
Aluminium  
Suitable for number of connectors (EF001579)  
1  
Flush-mounted installation (EF007517)  
Yes

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / HC4279C6 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.