

INDUSTRIAL COMPONENT DATA**HD4126S BTCINO AX-BASED EURAM 2P+T 16A 2M WHITE**

Brand: BTCINO | Manufacturer Part Number: HD4126S



Manufacturer	BTICINO
MPN / Reference	HD4126S
Catalog number	HD4126S
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-A06A34A53A
Generated	2026-07-31

Product Overview

AX-BASED EURAM 2P+T 16A 2M WHITE

2P+T Axolute - standard euro-american - connection by screws - White - 2 modules

2P+T Axolute Base - Euro-American Standard - White - 2mod

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO > AXOLUTE****Additional Product Information**

Product features

Bases 2P+T standard euro-american - 16 A - 250 V~ - Connection by screws - With shutter protection - Is converted into luminous pilot lamps ref. H4743B/230 - 2 modules - White General characteristics

Axolute - bases of power

ETIM for HD4126S Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screw terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Imprint/indication (EF003823)
Other
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
9003
Model (EF000010)
Other
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
35.3 mm
Impact strength (EF004293)
IK00
Anti-bacterial treatment (EF023790)
No

Protective contact (EF017116)

Other

Device width (EF008808)

45 mm

With on/off switch (EF000488)

No

Device height (EF008809)

45 mm...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / HD4126S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.