

INDUSTRIAL COMPONENT DATA

HD4451 BTCINO AX-CRONOTERMO 2X1,5V 3M WHITE

Brand: BTICINO | Manufacturer Part Number: HD4451



Manufacturer	BTICINO
MPN / Reference	HD4451
Catalog number	HD4451
Category	Room thermostat
Minimum order	10 Pcs
Document ID	EO-CA0A55F59B
Generated	2026-07-28

Product Overview

AX-CRONOTERMO 2X1,5V 3M WHITE

AX-CHRONOTERMO 2X1.5V 3M BLAN

Electronic thermostat programmable with 6 programs Axolute - 2 modules - White

Programmable electronic thermostat with 6 programs Axolute - 2mod - White

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path BTICINO > AXOLUTE

Additional Product Information

Product features

Electronic thermostat programmable - Programs daily/weekly for heating and air conditioning - backlit Screen - Power supply batteries 2 x 1,5 V - Activatable remote - Possibility of installation of an external probe type R (25 °C) = 10 k - Output: contact switching 5 (3) A - 3 modules - White General characteristics

Axolute - products hotels

ETIM for HD4451 Stats, switches and controllers (EC010927)

Feature Name

Feature Value

Explosion-proof (EF004663)

No

Height (EF000040)

48 mm

Degree of protection (IP) (EF005474)

Other
Operation (EF002147)
Button
Mounting method (EF000003)
Flush mounted
Connection (EF000443)
Three-four-wire
Number of modules (module system) (EF009573)
3
Differential value (EF022691)
0.1 K
Compatible with Apple HomeKit (EF014925)
No
Degree of protection (NEMA) (EF011959)
Other
Compatible with Amazon Alexa (EF014927)
No
Temperature readable (EF021360)
Yes
Compatible with Google Assistant (EF014926)
No
Control characteristic (EF020644)
P
External sensor (EF023999)
Yes
With receiver (EF020643)
No
Class of the temperature control (EF010595)
I
With display (EF000458)
Yes
Type of power supply (EF001469)
Battery
Model (EF000010)
On/Off
Contact type (EF001587)
Change-over contact (NO/NC)
Number of heater outputs (EF020681)
1
Max. contact load (EF022541)
5 A
With tap water circuit (EF020680)
No
With sound indicator (EF020683)
No
Number of cooler outputs (EF020682)
1

Max. contact voltage (EF020286)

240 V

Sensor/feeler type (EF006254)

Resistance senso...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / HD4451 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.