

INDUSTRIAL COMPONENT DATA

HS4432 BTCINO AX-IR SENSOR 6A 2M ANTR

Brand: BTCINO | Manufacturer Part Number: HS4432



Manufacturer	BTICINO
MPN / Reference	HS4432
Catalog number	HS4432
Category	Movement sensor complete
Minimum order	1 Pcs
Document ID	EO-A088695DD2
Generated	2026-07-29

Product Overview

AX-IR SENSOR 6A 2M ANTR

AX-SENSOR IR 6A 2M ANTR

Detector 3-wire with neutral exclusion Axolute - 2 modules - Anthracite

3-wire detector with neutral exclusion Axolute - 2mod - Anthracite

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **BTICINO > AUTONOMOUS LIGHTING MANAGEMENT**

Additional Product Information

Product features

Detector 3-wire, with neutral, to the exclusion of - Power type of lamps: - Halogen 230 V, incandescent : 0 to 1200 W - Halogen with transformer ferromagnetic: 0 to 1200 VA - Tubes fluo : 0 to 450 VA - Possibility of forcing the detector in mode ON, Automatic or OFF by the cursor 3 positions - additional option of controlling manually by push button - Timer 30 s to 10 min. - Brightness threshold from 5 lux to 2000 lux - detection Angle 105° - detection Distance 6 m - Power supply 230 Vac - 3-wire - 2 modules - Anthracite General characteristics

Axolute - detectors

ETIM for HS4432 Domestic wiring accessories and controls (EC000133)

Feature Name

Feature Value

Bridging switch (EF001099)

No

Staircase light controller (EF001098)

No

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Flush mounted

Min. switch-on time (EF006589)

30 s

Compatible with Apple HomeKit (EF014925)

No

Detection angle horizontal (EF006582)

105 °

Compatible with Amazon Alexa (EF014927)

No

Compatible with Google Assistant (EF014926)

No

Networkable (EF003904)

No

Animal zone (EF006311)

No

Model (EF000010)

Movement sensor

With alarm function (EF005624)

No

Optimum mounting height (EF008011)

1.2 m

Anti-bacterial treatment (EF023790)

No

With acoustic sensor (EF017675)

No

Background monitoring (EF017674)

No

Connection cable length (EF003636)

0 mm

Temperature (EF001731)

5 °C

Substation input (EF003876)

No

Colour (EF000007)

Black

With connection cable (EF005036)

No

With signal unit (E...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / HS4432 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.