

INDUSTRIAL COMPONENT DATA

HS4442 BTCINO AX-THERMOSTAT+WITH 230V 2M ANTR

Brand: BTCINO | Manufacturer Part Number: HS4442



Manufacturer	BTCINO
MPN / Reference	HS4442
Catalog number	HS4442
Category	Room thermostat
Minimum order	1 Pcs
Document ID	EO-F6857D545F
Generated	2026-08-01

Product Overview

AX-THERMOSTAT+WITH 230V 2M ANTR

AX-THERMOSTAT+CON 230V 2M ANTR

Thermostat environment Axolute 2A -230V - 2 modules - Anthracite

Axolute 2A room thermostat - 230V - 2mod - Anthracite

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **BTCINO > AXOLUTE**

Additional Product Information

Product features

Thermostat environment - relay Output-contact 250 V~ - With switch "summer/winter" C-NO 2 TO built-in - Power supply 230 V~ - 2 modules - Anthracite General characteristics

Axolute - products hotels

ETIM for HS4442 Stats, switches and controllers (EC010927)

Feature Name

Feature Value

Explosion-proof (EF004663)

No

Height (EF000040)

48 mm

Degree of protection (IP) (EF005474)

Other

Operation (EF002147)

Turn

Mounting method (EF000003)

Flush mounted

Connection (EF000443)

Three-four-wire

Number of modules (module system) (EF009573)

2

Differential value (EF022691)

0.1 K

Compatible with Apple HomeKit (EF014925)

No

Degree of protection (NEMA) (EF011959)

Other

Compatible with Amazon Alexa (EF014927)

No

Temperature readable (EF021360)

No

Compatible with Google Assistant (EF014926)

No

Control characteristic (EF020644)

P

External sensor (EF023999)

No

With receiver (EF020643)

No

Class of the temperature control (EF010595)

I

With display (EF000458)

No

Type of power supply (EF001469)

230 V AC

Model (EF000010)

On/Off

Contact type (EF001587)

Normally open contact (NO)

Number of heater outputs (EF020681)

1

Max. contact load (EF022541)

2 A

With tap water circuit (EF020680)

No

With sound indicator (EF020683)

No

Number of cooler outputs (EF020682)

1

Max. contact voltage (EF020286)

240 V

Sensor/feeler type (EF006254)

Resistance sensor

Adjustable differential (EF024001)

No

IFTTT support available (EF011072)

No

Suitable for cooling (EF024798)

Yes

Depth (EF000049)

47 mm

Colour (EF000...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / HS4442 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.