

INDUSTRIAL COMPONENT DATA

K4027H BTCINO LN-CONM DOUBLE HOTEL 10AX 1M

Brand: BTICINO | Manufacturer Part Number: K4027H



Manufacturer	BTICINO
MPN / Reference	K4027H
Catalog number	K4027H
Category	Venetian blind switch/-push button
Minimum order	1 Pcs
Document ID	EO-EC948F96CD
Generated	2026-08-01

Product Overview

LN-CONM DOUBLE HOTEL 10AX 1M

Living Now Hotel Room Double Switch - Illuminated - 1 module

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path BTICINO > LIVING NOW

Additional Product Information

Product features

Lighting mechanisms - Switch 3 positions (1-0-2) - 10 AX-250 Vac - Illuminated - To be combined with keys ref.

KG/KM/KW06H, support and trim plate - 1 module General features

Living Now - hotel room mechanisms

ETIM for K4027H Domestic wiring accessories and controls (EC000044)

Feature Name

Feature Value

Mechanical controllable (EF005993)

Yes

Label space/information surface (EF001035)

No

Material (EF002169)

Plastic

Surface finishing (EF006569)

Matt

Type of fastening (EF002442)
Engage (snap)
Halogen free (EF000025)
Yes
Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Module frame/grid
Connection type (EF000124)
Screw terminal
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
1
Transparent (EF006243)
No
Compatible with Apple HomeKit (EF014925)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of poles (EF001391)
1
Min. depth of built-in installation box (EF012278)
39 mm
Surface protection (EF000139)
Untreated
Built-in depth (EF000218)
29 mm
Number of buttons (EF003144)
1
RAL-number (similar) (EF003882)
7015
Model (EF000010)
1-pole switch
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
39 mm
Electronic controllable (EF006570)
No
IFTTT support available (EF011072)
No
Assembly arrangement (EF000005)
Basic unit
Device width (EF008808)

22 mm

Device height (EF008809)

45 mm

Rated current (EF000227)

10 A

Colour (EF000007)

Black

Method of op...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / K4027H with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.