

**INDUSTRIAL COMPONENT DATA**

# K4382 BTCINO LN-PILOT BEACONED 230V 2M

Brand: BTCINO | Manufacturer Part Number: K4382



|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Manufacturer    | BTICINO                                                 |
| MPN / Reference | K4382                                                   |
| Catalog number  | K4382                                                   |
| Category        | Information light signal for domestic switching devices |
| Minimum order   | 5 Pcs                                                   |
| Document ID     | EO-60CA1DE339                                           |
| Generated       | 2026-07-29                                              |

## Product Overview

LN-PILOT BEACONED 230V 2M  
Pilot beaconed Living Now - 2 modules  
Living Now Beaconed Pilot - 2mod

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **BTICINO > LIVING NOW**

## Additional Product Information

**Product features**

Luminous markers - Beacon pilot - 230 Vit - Allows to create a directional and decorative lighting - It is advisable to install it 30 cm from the ground - It can be controlled from a traditional mechanism or from an electronic mechanism without neutral, from a light regulator or from an automatic switch with neutral - White LED lamp, consumption 2.2 W - Luminous flux 70 lumens - Duration: 50,000 hours approx. - To be combined with front ref. KG/KM/KW71, support and embellishing plate - 2 modules

**General features**

Living Now - acoustic and light signalling

ETIM for K4382 Domestic wiring accessories and controls (EC000064)

Feature Name

Feature Value

Max. lamp power (EF000260)

0.5 W

Material (EF002169)

Plastic

Surface finishing (EF006569)  
Matt  
Lamp type (EF002423)  
LED non-replaceable  
Material quality (EF001257)  
Thermoplastic  
Halogen free (EF000025)  
Yes  
Type of fastening (EF002442)  
Engage (snap)  
Mounting method (EF000003)  
Flush mounted  
Nominal voltage (EF000002)  
230 V  
Number of modules (module system) (EF009573)  
2  
Transparent (EF006243)  
No  
Min. depth of built-in installation box (EF012278)  
40 mm  
Colour light source (EF001402)  
White  
Surface protection (EF000139)  
Untreated  
With light source (EF005905)  
Yes  
With fixed symbol/imprint (EF007949)  
No  
RAL-number (similar) (EF003882)  
7015  
With flashlight (EF006575)  
No  
Suitable for degree of protection (IP) (EF006755)  
IP20  
Device depth (EF008810)  
32.5 mm  
Device width (EF008808)  
45 mm  
Assembly arrangement (EF000005)  
Basic un...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / K4382 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.