

INDUSTRIAL COMPONENT DATA

KG4180 BTCINO LN-BASE IT 2P+T 16A 1M DARK

Brand: BTICINO | Manufacturer Part Number: KG4180



Manufacturer	BTICINO
MPN / Reference	KG4180
Catalog number	KG4180
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-3C0CFB8F11
Generated	2026-08-02

Product Overview

LN-BASE IT 2P+T 16A 1M DARK

Base 2P+T Living Now - Italian standard - connection by screws - dark - 1 module

2P+T Living Now Base - Italian Standard - Dark - 1mod

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path BTICINO > LIVING NOW

Additional Product Information

Product features

Italian standard 2P+T bases - 10 A - 250 Vac - Distance between alveoli between 19 mm and 26 mm - Connection by screws - With protective shutters - 1 module - To be combined with FRONT KG02, support and trim plate - Dark General features

Living Now - international mainstream bases

ETIM for KG4180 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwed terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
1
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
38 mm
Imprint/indication (EF003823)
Other
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
7019
Model (EF000010)
Italian type P17/11
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
38 mm
Impact strength (EF004293)

Other

Anti-bacterial treatment (EF023790)

No

Pro...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / KG4180 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.