

INDUSTRIAL COMPONENT DATA

KG4188 BTCINO LN-BASE AME 2X2P+T 15A 3M DARK

Brand: BTCINO | Manufacturer Part Number: KG4188



Manufacturer	BTICINO
MPN / Reference	KG4188
Catalog number	KG4188
Category	Socket outlet
Minimum order	5 Pcs
Document ID	EO-9A94C83A92
Generated	2026-08-03

Product Overview

LN-BASE AME 2X2P+T 15A 3M DARK

Duplex base 2P+T Living Now - American standard - screw connection - dark - 3 modules

Duplex Base 2P+T Living Now - American Standard - 15A 127/250Vac - dark - 3mod

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTICINO > LIVING NOW
--------------	----------------------

Additional Product Information

Product features

Bases 2 x 2P+T American standard - 15 A - 250 10 10 10 10 - Screw connection - With protective shutters - 3 modules - A combine with kg52 front, stand and embellishing plate - Dark General features

Living Now - international mainstream bases

ETIM for KG4188 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screw terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
3
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
34.5 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
7015
Model (EF000010)
USA/CA (NEMA 5-15) (type B)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
34.5 mm
Anti-bacterial treatment (EF023790)
No

Protective contact (EF017116)

Other

Device width (EF008808)

45 mm...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / KG4188 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.