

INDUSTRIAL COMPONENT DATA**KM4113 BTCINO LN-BASE IT 2P+T 10A 1M SAND**

Brand: BTICINO | Manufacturer Part Number: KM4113



Manufacturer	BTICINO
MPN / Reference	KM4113
Catalog number	KM4113
Category	Socket outlet
Minimum order	5 Pcs
Document ID	EO-6757A084C7
Generated	2026-07-29

Product Overview

LN-BASE IT 2P+T 10A 1M SAND

Base 2P+T Living Now - Italian standard - screw connection - sand - 1 module

2P+T Living Now Base - Italian Standard - Sand - 1mod

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO > LIVING NOW****Additional Product Information**

Product features

Italian standard 2P+T bases - 10 A - 250 Vac - Distance between alveoli of 19 mm - Connection by screws - With protective shutters - 1 module - To be combined with KM02 front, support and trim plate - Sand General features

Living Now - international mainstream bases

ETIM for KM4113 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

10 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screw terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
1
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
38 mm
Imprint/indication (EF003823)
Other
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
1013
Model (EF000010)
Italian type P11
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
38 mm
Impact strength (EF004293)
Other

Anti-bacterial treatment (EF023790)

No

Protective contact (E...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / KM4113 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.