


INDUSTRIAL COMPONENT DATA

KM4141 BTCINO LN-BASE 2P+T 16A/230V 2M SAND

Brand: BTICINO | Manufacturer Part Number: KM4141



Manufacturer	BTICINO
MPN / Reference	KM4141
Catalog number	KM4141
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-EFA0168EF9
Generated	2026-08-02

Product Overview

LN-BASE 2P+T 16A/230V 2M SAND

Base 2P+T Living Now - connection by screws - sand - 2 modules

2P+T Living Now Base - 16A/250V - Sand - 2mod

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTICINO > LIVING NOW
--------------	----------------------

Additional Product Information

Product features

Bases 2P+T - 16 A - 250 Vac - Connection by screws - With protection shutters - 2 modules - For installation in 2 modules combine with front ref. KM04, in 2 modules with lid with front ref. KM04P and in 3 modules with ref. KM04M3, support and beautifying plate - Sand General features

Living Now - current bases

ETIM for KM4141 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwed terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
41.5 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
1015
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
41.5 mm
Impact strength (EF004293)

IK04...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / KM4141 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.