

INDUSTRIAL COMPONENT DATA

KM4279C6A BTICINO LN-BASE RJ45 CAT6A UTP 1M SAND

Brand: BTICINO | Manufacturer Part Number: KM4279C6A



Manufacturer	BTICINO
MPN / Reference	KM4279C6A
Catalog number	KM4279C6A
Category	Data communication connection box copper (twisted pair)
Minimum order	10 Pcs
Document ID	EO-C823EC830E
Generated	2026-08-01

Product Overview

LN-BASE RJ45 CAT6A UTP 1M SAND

Base RJ-45 Living Now - Cat. 6A - UTP - sand - 1 module

RJ45 Living Now Base - Cat.6A - UTP - Sand - 1mod

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **BTICINO > LIVING NOW**

Additional Product Information

Product features

RJ-45 Databases - Cat. 6A - UTP - Quick connection bases without the need for tools - Contacts marked with double color code - 1 module - To be combined with front ref. KW07, support and beautifying plate - Sand General features

Living Now - bases for RJ45 twisted pair data transmission

ETIM for KM4279C6A Data networking products (EC001264)

Feature Name

Feature Value

Duct installation (EF002440)

No

With dust cover (EF003893)

Yes

Colour coding (EF007758)

Yes

Degree of protection (IP) (EF005474)

IP20
With label space (EF003456)
Yes
Shielded buses (EF002444)
No
Separate earthing connection (EF002500)
No
Connection type (EF000124)
Insulation displacement connector
Type of fastening (EF002442)
Engage (snap)
Floor box/subfloor mounted (EF003455)
No
Number of modules (module system) (EF009573)
1
RAL-number (EF000116)
1017
Type of connector (EF002935)
RJ45 8(8)
Surface mounting (EF003681)
No
Separate strain relief (EF002450)
No
Mounting method shielding connection (EF002497)
None
Device depth (EF008810)
41 mm
With buses/couplings (EF005043)
Yes
Category (EF001619)
6A (IEC)
Device width (EF008808)
22 mm
Assembly arrangement (EF000005)
Basic unit with central cover plate
Device height (EF008809)
45 mm
Outlet direction (EF000323)
Straight
Colour (EF000007)
Beige
Suitable for number of connectors (EF001579)
1
Flush-mounted installation (EF007517)
Yes

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / KM4279C6A with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.