

INDUSTRIAL COMPONENT DATA

KM4441 BTCINO LN-THERMOSTAT 230V 2M SAND

Brand: BTCINO | Manufacturer Part Number: KM4441



Manufacturer	BTICINO
MPN / Reference	KM4441
Catalog number	KM4441
Category	Room thermostat
Minimum order	10 Pcs
Document ID	EO-F0222807D1
Generated	2026-08-03

Product Overview

LN-THERMOSTAT 230V 2M SAND

Living Now - sand electronic environment thermostat - 2 modules

Living Now - Sand - 2mod electronic room thermostat

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTICINO > LIVING NOW
--------------	----------------------

Additional Product Information

Product features

Electronic environment thermostat - Relay output with contact in potential-free switching - 5 (2) A - Power supply 230 V~ - 2 modules - To be combined with bracket and trim plate - Sand General features

Living Now - temperature management

ETIM for KM4441 Stats, switches and controllers (EC010927)

Feature Name

Feature Value

Explosion-proof (EF004663)

No

Height (EF000040)

86 mm

Degree of protection (IP) (EF005474)

IP20

Operation (EF002147)

Button
Mounting method (EF000003)
Flush mounted
Connection (EF000443)
Three-four-wire
Number of modules (module system) (EF009573)
2
Differential value (EF022691)
0.1 K
Compatible with Apple HomeKit (EF014925)
No
Degree of protection (NEMA) (EF011959)
Other
Compatible with Amazon Alexa (EF014927)
No
Temperature readable (EF021360)
Yes
Compatible with Google Assistant (EF014926)
No
Control characteristic (EF020644)
P
External sensor (EF023999)
No
With receiver (EF020643)
No
Class of the temperature control (EF010595)
I
With display (EF000458)
Yes
RAL-number (EF000116)
1015
Type of power supply (EF001469)
230 V AC
Model (EF000010)
On/Off
Contact type (EF001587)
Change-over contact (NO/NC)
Number of heater outputs (EF020681)
1
Max. contact load (EF022541)
5 A
With tap water circuit (EF020680)
No
With sound indicator (EF020683)
No
Number of cooler outputs (EF020682)
1

Max. contact voltage (EF020286)

240 V

Sensor/feeler type (EF006254)

Other

Adjustable differential (EF024001)

Yes

IFTTT support available (EF011072)

No

Suitable for...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / KM4441 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.