

INDUSTRIAL COMPONENT DATA

L4027N BTCINO LL-CONM DOUBLE 16A 1M ANTR

Brand: BTCINO | Manufacturer Part Number: L4027N



Manufacturer	BTCINO
MPN / Reference	L4027N
Catalog number	L4027N
Category	Venetian blind switch/-push button
Minimum order	10 Pcs
Document ID	EO-48AB9C11BE
Generated	2026-08-02

Product Overview

LL-CONM DOUBLE 16A 1M ANTR

Livinglight Double Switch for Blinds - 1 module - Anthracite

Double Livinglight switch for blinds - 1mod - Anthracite

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTCINO > LIVINGLIGHT MECHANISMS
--------------	---------------------------------

Additional Product Information

Product features

This 3-position 1-0-2 10A dual key switch from the Livinglight series allows you to control both the raising and lowering of the blinds. 1 module. General features

Livinglight - blind and ventilation mechanisms

ETIM for L4027N Domestic wiring accessories and controls (EC000044)

Feature Name

Feature Value

Mechanical controllable (EF005993)

No

Label space/information surface (EF001035)

No

Material (EF002169)

Plastic

Surface finishing (EF006569)

Matt

Type of fastening (EF002442)

Other

Halogen free (EF000025)

Yes

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Flush mounted

Connection type (EF000124)

Screwed terminal

Nominal voltage (EF000002)

250 V

Number of modules (module system) (EF009573)

1

Transparent (EF006243)

No

Compatible with Apple HomeKit (EF014925)

No

Compatible with Amazon Alexa (EF014927)

No

Compatible with Google Assistant (EF014926)

No

Number of poles (EF001391)

1

Min. depth of built-in installation box (EF012278)

35.5 mm

Surface protection (EF000139)

Untreated

Built-in depth (EF000218)

25.5 mm

Number of buttons (EF003144)

0

RAL-number (similar) (EF003882)

7015

Model (EF000010)

1-pole push button

Suitable for degree of protection (IP) (EF006755)

IP20

Device depth (EF008810)

36.5 mm

Electronic controllable (EF006570)

No

IFTTT support available (EF011072)

No

Assembly arrangement (EF000005)

Basic unit

Device width (EF008808)

22 mm

Device height (EF008809)

44 mm

Rated current (EF000227)

10 A

Colour (EF000007)

Anthracite

Method o...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / L4027N with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.