

**INDUSTRIAL COMPONENT DATA**

# L4382/230 BTCINO LL-LAMP-LIGHT FLUSH 230V 2M

Brand: BTCINO | Manufacturer Part Number: L4382/230

PRODUCT IMAGE\n\nNOT  
AVAILABLE

|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Manufacturer    | BTICINO                                                 |
| MPN / Reference | L4382/230                                               |
| Catalog number  | L4382/230                                               |
| Category        | Information light signal for domestic switching devices |
| Minimum order   | 1 Pcs                                                   |
| Document ID     | EO-19641BA9B1                                           |
| Generated       | 2026-07-29                                              |

## Product Overview

LL-LAMP-LIGHT FLUSH 230V 2M  
LL-LAMP RAS LIGHT 230V 2M  
Light lamp flush LED Livinglight - 2 module  
LED grazing light lamp Livinglight - 2mod

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **BTICINO > LIVINGLIGHT MECHANISMS**

## Additional Product Information

Product features  
Lamp light flush - Beacon signalling LED 230 V~ - 2 modules General characteristics  
Livinglight - lighting, buoys, signaling and security  
ETIM for L4382/230 Domestic wiring accessories and controls (EC000064)  
Feature Name  
Feature Value  
Max. lamp power (EF000260)  
0.5 W  
Material (EF002169)  
Plastic  
Surface finishing (EF006569)  
Glossy  
Material quality (EF001257)

Thermoplastic  
Halogen free (EF000025)  
Yes  
Mounting method (EF000003)  
Other  
Nominal voltage (EF000002)  
230 V  
Transparent (EF006243)  
Yes  
Min. depth of built-in installation box (EF012278)  
41 mm  
Colour light source (EF001402)  
White  
Surface protection (EF000139)  
Untreated  
With light source (EF005905)  
Yes  
With fixed symbol/imprint (EF007949)  
Yes  
With flashlight (EF006575)  
No  
Suitable for degree of protection (IP) (EF006755)  
IP2X  
Device depth (EF008810)  
42 mm  
Device width (EF008808)  
44 mm  
Assembly arrangement (EF000005)  
Basic unit with central cover plate  
Application as button (EF003912)  
No  
Device height (EF008809)  
44 mm  
Lamp holder (EF000048)  
Other  
Colour (EF000007)  
Other  
With exchangeable symbol (EF006748)  
No

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / L4382/230 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.