

INDUSTRIAL COMPONENT DATA

L4432 BTCINO LL-IR SENSOR 6A 2M ANTR

Brand: BTCINO | Manufacturer Part Number: L4432



Manufacturer	BTICINO
MPN / Reference	L4432
Catalog number	L4432
Category	Movement sensor complete
Minimum order	1 Pcs
Document ID	EO-A1A9D1E9A0
Generated	2026-08-01

Product Overview

LL-IR SENSOR 6A 2M ANTR

LL-SENSOR IR 6A 2M ANTR

Detector 3-wire with neutral exclusion Livinglight - 2 modules - Anthracite

3-wire detector with neutral exclusion Livinglight - 2mod - Anthracite

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **BTICINO > AUTONOMOUS LIGHTING MANAGEMENT**

Additional Product Information

Product features

Detector 3-wire, with neutral, to the exclusion of - Power type of lamps: - Halogen 230 V, incandescent : 0 to 1200 W - Halogen with transformer ferromagnetic: 0 to 1200 VA - Tubes fluo : 0 to 450 VA - Possibility of forcing the detector in mode ON, Automatic or OFF by the cursor 3 positions - additional option of controlling manually by push button - Timer 30 s to 10 min. - Brightness threshold from 5 lux to 2000 lux - detection Angle 105° - detection Distance 6 m - Power supply 230 Vac - 3-wire - 2 modules - Anthracite

Livinglight - detectors

ETIM for L4432 Domestic wiring accessories and controls (EC000133)

Feature Name

Feature Value

Bridging switch (EF001099)

No

Staircase light controller (EF001098)

No

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Flush mounted

Min. switch-on time (EF006589)

30 s

Compatible with Apple HomeKit (EF014925)

No

Detection angle horizontal (EF006582)

105 °

Compatible with Amazon Alexa (EF014927)

No

Compatible with Google Assistant (EF014926)

No

Networkable (EF003904)

No

Animal zone (EF006311)

No

Model (EF000010)

Movement sensor

With alarm function (EF005624)

No

Optimum mounting height (EF008011)

1.2 m

Anti-bacterial treatment (EF023790)

No

With acoustic sensor (EF017675)

No

Background monitoring (EF017674)

No

Connection cable length (EF003636)

0 mm

Temperature (EF001731)

5 °C

Substation input (EF003876)

No

Colour (EF000007)

Anthracite

With connection cable (EF005036)

No

With signal...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / L4432 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.