

INDUSTRIAL COMPONENT DATA**L4441 BTCINO LL-THERMOSTAT 230V 2M ANTR**

Brand: BTICINO | Manufacturer Part Number: L4441



Manufacturer	BTICINO
MPN / Reference	L4441
Catalog number	L4441
Category	Room thermostat
Minimum order	1 Pcs
Document ID	EO-1612457D0A
Generated	2026-08-03

Product Overview

LL-THERMOSTAT 230V 2M ANTR

Thermostat electronic environment Livinglight - 2 modules - Anthracite

Livinglight electronic room thermostat - 2mod - Anthracite

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO > LIVINGLIGHT MECHANISMS****Additional Product Information**

Product features

Thermostat electronic environment - relay Output-contact 250 V~ - Power supply 230 V~ - 2 modules - Anthracite General characteristics

Livinglight - gas detectors and temperature management

ETIM for L4441 Stats, switches and controllers (EC010927)

Feature Name

Feature Value

Explosion-proof (EF004663)

No

Height (EF000040)

44 mm

Degree of protection (IP) (EF005474)

Other

Operation (EF002147)

Turn
Mounting method (EF000003)
Flush mounted
Connection (EF000443)
Three-four-wire
Number of modules (module system) (EF009573)
2
Differential value (EF022691)
0.1 K
Compatible with Apple HomeKit (EF014925)
No
Degree of protection (NEMA) (EF011959)
Other
Compatible with Amazon Alexa (EF014927)
No
Temperature readable (EF021360)
No
Compatible with Google Assistant (EF014926)
No
Control characteristic (EF020644)
P
External sensor (EF023999)
No
With receiver (EF020643)
No
Class of the temperature control (EF010595)
I
With display (EF000458)
No
Type of power supply (EF001469)
230 V AC
Model (EF000010)
On/Off
Contact type (EF001587)
Change-over contact (NO/NC)
Number of heater outputs (EF020681)
1
Max. contact load (EF022541)
2 A
With tap water circuit (EF020680)
No
With sound indicator (EF020683)
No
Number of cooler outputs (EF020682)
0
Max. contact voltage (EF020286)
240 V

Sensor/feeler type (EF006254)
Resistance sensor
Adjustable differential (EF024001)
No
IFTTT support available (EF011072)
No
Suitable for cooling (EF024798)
No
Depth (EF000049)
47 mm
Colour (EF000007)
Anthr...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / L4441 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.