

INDUSTRIAL COMPONENT DATA

LN4361 BTICINO LL-PILOT BEACON 230V 2M

Brand: BTICINO | Manufacturer Part Number: LN4361



Manufacturer	BTICINO
MPN / Reference	LN4361
Catalog number	LN4361
Category	Orientation luminaire
Minimum order	10 Pcs
Document ID	EO-02F3D1F62A
Generated	2026-08-02

Product Overview

LL-PILOT BEACON 230V 2M

Pilot beacon Livinglight - 2 module

Livinglight Beaconed Pilot - 2mod

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTICINO > LIVINGLIGHT MECHANISMS
--------------	----------------------------------

Additional Product Information

Product features

Pilots beacon - 230 Vac - 2 modules Allows you to create a directional lighting and decorative. It is advisable to setup to 30 cm from the ground. Can be controlled from a traditional mechanism or from an electronic device without neutral, from a dimmer or a circuit breaker with neutral. LED lamp, consumption is 2.2 W luminous Flux 70 lumenes. Duration: 50,000 hours approx. 2 modules. General characteristics

Livinglight - lighting, buoys, signaling and security

ETIM for LN4361 Luminaires (EC000481)

Feature Name

Feature Value

Lamp type (EF002423)

LED non-replaceable

Connection type (EF000124)

Screwed terminal

With control gear (EF007556)

Yes

Material cover (EF004284)

Plastic opal

Suitable for lamp power (EF000280)

2.2 W

Built-in height/depth (EF023518)

25 mm

Nominal current (EF009345)

9.2 mA

Height/depth (EF001456)

45 mm

Lamp holder (EF000048)

None

Width (EF000008)

45 mm

Type of control gear (EF000381)

Not required

Degree of protection (IP) (EF005474)

Other

Housing material (EF001596)

Plastic

Voltage type (EF000187)

AC

Colour of light (EF009350)

White

Housing colour (EF000136)

Multi colour

Type of covering (EF000339)

Other

With light source (EF005905)

Yes

Diameter (EF000551)

53 mm

Nominal voltage (EF005127)

110 V

Length (EF001438)

58 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / LN4361 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.