

INDUSTRIAL COMPONENT DATA**LN4380N BTCINO LL-FLASHLIGHT AUTO LED 230V 2M**

Brand: BTICINO | Manufacturer Part Number: LN4380N



Manufacturer	BTICINO
MPN / Reference	LN4380N
Catalog number	LN4380N
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-B362A493EF
Generated	2026-08-01

Product Overview

LL-FLASHLIGHT AUTO LED 230V 2M

LL-AUTO LED FLASHLIGHT 230V 2M

Lantern autonomous removable LED Livinglight - 2 module

Livinglight LED Removable Standalone Flashlight - 2mod

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO > LIVINGLIGHT MECHANISMS****Additional Product Information**

Product features

Lamps - LED, 230 V~ high-brightness - independent Operation in the event of power outage - battery life of 2 h - Includes charging base - 2 batteries Ni-Cd - 2 modules, white light LEDS of high luminous efficiency. ON/OFF switch and push-button FICKLE for increasing the brightness when necessary. Replaceable batteries Ni-MH no memory effect.

Includes front finishes white, tech and anthracite (in the same reference). General characteristics

Livinglight - lighting, buoys, signaling and security

ETIM for LN4380N Luminaires (EC001957)

Feature Name

Feature Value

Conductor cross section (EF000085)

1.5 mm²

With remote control (EF000483)

No

Lamp type (EF002423)
LED non-replaceable
Mounting method (EF000003)
Built-in
Connection type (EF000124)
Screw connection
Material cover (EF004284)
Plastic opal
Built-in height/depth (EF023518)
33 mm
With remote switch connection (EF007947)
No
Suitable for number of light sources (EF006436)
1
Number of lighting heads (EF004258)
1
Nominal current (EF009345)
450 mA
Impact strength (EF004293)
IK02
Monitoring equipment (EF008091)
None
Lamp holder (EF000048)
Other
Height/depth (EF001456)
43 mm
With pictogram (EF011099)
No
Width (EF000008)
44 mm
Type of control gear (EF000381)
Not required
Degree of protection (IP) (EF005474)
Other
Suitable for labelling type (EF001277)
Other
Housing material (EF001596)
Plastic
Voltage type (EF000187)
AC
Housing colour (EF000136)
Other
Light distributor (EF012170)
Diffuser
With light source (EF005905)
Y...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / LN4380N with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.