

INDUSTRIAL COMPONENT DATA

N4027 BTCINO LL-CONM DOUBLE-16A 1M WHITE

Brand: BTCINO | Manufacturer Part Number: N4027



Manufacturer	BTCINO
MPN / Reference	N4027
Catalog number	N4027
Category	Venetian blind switch/-push button
Minimum order	10 Pcs
Document ID	EO-2C7092766E
Generated	2026-07-28

Product Overview

LL-CONM DOUBLE-16A 1M WHITE

LL-CONM DOUBLE 16A 1M BLAN

Switch double Livinglight for shutters - 1 module - White

Double Livinglight switch for blinds - 1mod - White

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTCINO > LIVINGLIGHT MECHANISMS
--------------	---------------------------------

Additional Product Information

Product features

Mechanisms of blinds - Switch dual - 16 A 250 V~ for roller shutters - A keystroke to activate the maneuver, another tap on the opposite direction to stop it - White - 1 module General characteristics

Livinglight - mechanisms of blinds and ventilation

ETIM for N4027 Domestic wiring accessories and controls (EC000044)

Feature Name

Feature Value

Mechanical controllable (EF005993)

Yes

Label space/information surface (EF001035)

No

Material (EF002169)

Plastic

Surface finishing (EF006569)

Matt

Type of fastening (EF002442)

Other

Halogen free (EF000025)

Yes

Material quality (EF001257)

Thermoplastic

Mounting method (EF000003)

Module frame/grid

Connection type (EF000124)

Screw terminal

Nominal voltage (EF000002)

250 V

Transparent (EF006243)

No

Compatible with Apple HomeKit (EF014925)

No

Compatible with Amazon Alexa (EF014927)

No

Compatible with Google Assistant (EF014926)

No

Number of poles (EF001391)

1

Min. depth of built-in installation box (EF012278)

43 mm

Surface protection (EF000139)

Untreated

Built-in depth (EF000218)

33 mm

Number of buttons (EF003144)

2

RAL-number (similar) (EF003882)

9003

Model (EF000010)

1-pole push button

Suitable for degree of protection (IP) (EF006755)

IP20

Device depth (EF008810)

44 mm

Electronic controllable (EF006570)

No

IFTTT support available (EF011072)

No

Assembly arrangement (EF000005)

Basic unit

Device width (EF008808)

22 mm

Device height (EF008809)

44 mm

Rated current (EF000227)

16 A

Colour (EF000007)

White

Method of operation (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / N4027 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.