

INDUSTRIAL COMPONENT DATA**N4141 BTCINO LL-2P+T 16A/230V 2M WHITE**

Brand: BTICINO | Manufacturer Part Number: N4141



Manufacturer	BTICINO
MPN / Reference	N4141
Catalog number	N4141
Category	Socket outlet
Minimum order	1 Pcs
Document ID	EO-234B7C2F0A
Generated	2026-08-02

Product Overview

LL-2P+T 16A/230V 2M WHITE

2P+T Livinglight - connection by screws - White - 2 modules

2P+T Livinglight Base - 16A/230V - White - 2mod

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTICINO > LIVINGLIGHT MECHANISMS
--------------	----------------------------------

Additional Product Information

Product features

Bases 2P+T - 16 A - 250 V~ - Connection by screws - With shutter protection - Is converted into luminous pilot lamps ref.

LN4742V230 - 2 modules - White General characteristics

Livinglight - bases of power

ETIM for N4141 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screwed terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
2
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
40.5 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
No
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
9016
Model (EF000010)
Socket outlet CEE 7/3 (type F)
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
41.5 mm
Impact strength (EF004293)
IK00

Anti-bacterial treatment (EF023790)

No

Number of active contacts (square) (EF017115)

0

Protective contact....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / N4141 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.