

INDUSTRIAL COMPONENT DATA**NT4442 BTCINO LL-THERMOSTAT+WITH 230V 2M TECH**

Brand: BTCINO | Manufacturer Part Number: NT4442



Manufacturer	BTICINO
MPN / Reference	NT4442
Catalog number	NT4442
Category	Room thermostat
Minimum order	10 Pcs
Document ID	EO-C665C5CBDF
Generated	2026-07-29

Product Overview

LL-THERMOSTAT+WITH 230V 2M TECH

LL-THERMOSTAT+CON 230V 2M TECH

Thermostat environment Livinglight 2A -230V - 2 modules - Tech

Livinglight 2A - 230V - 2mod - Tech room thermostat with switch

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO > LIVINGLIGHT MECHANISMS****Additional Product Information**

Product features

Thermostat environment - relay Output-contact 250 V~ - With switch "summer/winter" C-NO 2 TO built-in - Power supply

230 V~ - 2 modules - Tech General characteristics

Livinglight - gas detectors and temperature management

ETIM for NT4442 Stats, switches and controllers (EC010927)

Feature Name

Feature Value

Explosion-proof (EF004663)

No

Height (EF000040)

44 mm

Degree of protection (IP) (EF005474)

Other

Operation (EF002147)

Turn

Mounting method (EF000003)

Flush mounted

Connection (EF000443)

Three-four-wire

Number of modules (module system) (EF009573)

2

Differential value (EF022691)

0.1 K

Compatible with Apple HomeKit (EF014925)

No

Degree of protection (NEMA) (EF011959)

Other

Compatible with Amazon Alexa (EF014927)

No

Temperature readable (EF021360)

No

Compatible with Google Assistant (EF014926)

No

Control characteristic (EF020644)

P

External sensor (EF023999)

No

With receiver (EF020643)

No

Class of the temperature control (EF010595)

I

With display (EF000458)

No

Type of power supply (EF001469)

230 V AC

Model (EF000010)

On/Off

Contact type (EF001587)

Normally open contact (NO)

Number of heater outputs (EF020681)

1

Max. contact load (EF022541)

2 A

With tap water circuit (EF020680)

No

With sound indicator (EF020683)

No

Number of cooler outputs (EF020682)

1

Max. contact voltage (EF020286)

240 V

Sensor/feeler type (EF006254)

Resistance sensor

Adjustable differential (EF024001)

No

IFTTT support available (EF011072)

No

Suitable for cooling (EF024798)

Yes

Depth (EF0000...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / NT4442 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.