


INDUSTRIAL COMPONENT DATA

R4380 BTICINO CL-FLASHLIGHT AUTO LED 230V 2M

Brand: BTICINO | Manufacturer Part Number: R4380



Manufacturer	BTICINO
MPN / Reference	R4380
Catalog number	R4380
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-AA9ED18784
Generated	2026-07-31

Product Overview

CL-FLASHLIGHT AUTO LED 230V 2M

Classia LED Removable Autonomic Flashlight - 2 modules

Classia Standalone LED Removable Flashlight - 2mod

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **BTICINO > classia mechanisms**

Additional Product Information

Product features

Acoustic and light signaling - Signaling lamps - LED 230 V~ of high luminosity - Autonomous operation in the event of a possible power cut - Autonomy of 2 h - Includes recharge base - 2 Ni-Cd batteries - 2 modules - Led white light of high luminous efficiency - ON/OFF switch and SPOT button to increase the luminosity when necessary - Replaceable Ni-MH batteries without memory effect - 2 modules - To be combined with support and beautifying plate - It includes fronts in white and dark finishes. General features

Classia - acoustic and light signalling

ETIM for R4380 Luminaires (EC001957)

Feature Name

Feature Value

Lamp type (EF002423)

LED non-replaceable

Mounting method (EF000003)

Built-in

RAL-number housing (EF012502)
9003
Material cover (EF004284)
Plastic opal
Built-in height/depth (EF023518)
33.2 mm
With remote switch connection (EF007947)
No
Recognition distance (EF008732)
3 m
Monitoring equipment (EF008091)
None
Protection class according to IEC 61140 (EF000004)
None
Height/depth (EF001456)
43 mm
Width (EF000008)
44 mm
Built-in width (EF000846)
44 mm
Built-in length (EF004265)
44 mm
Degree of protection (IP) (EF005474)
IP20
Voltage type (EF000187)
AC
Housing colour (EF000136)
White
Function (EF000030)
Escape route lighting/signage
Nominal voltage (EF005127)
110 V
Power supply system (EF000233)
Central (central battery)
Battery technology (EF004351)
NiMH
Nominal operation time (EF012518)
2 h
Length (EF001438)
44 mm
Suitable for continuous circuit (EF017056...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / R4380 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.