


## INDUSTRIAL COMPONENT DATA

## R4380 BTICINO CL-FLASHLIGHT AUTO LED 230V 2M

Brand: BTICINO | Manufacturer Part Number: R4380



|                 |                     |
|-----------------|---------------------|
| Manufacturer    | BTICINO             |
| MPN / Reference | R4380               |
| Catalog number  | R4380               |
| Category        | Emergency luminaire |
| Minimum order   | 1 Pcs               |
| Document ID     | EO-AA9ED18784       |
| Generated       | 2026-08-01          |

## Product Overview

CL-FLASHLIGHT AUTO LED 230V 2M

Classia LED Removable Autonomic Flashlight - 2 modules

Classia Standalone LED Removable Flashlight - 2mod

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification &amp; Catalog Path

Catalog path BTICINO &gt; classia mechanisms

## Additional Product Information

## Product features

Acoustic and light signaling - Signaling lamps - LED 230 V~ of high luminosity - Autonomous operation in the event of a possible power cut - Autonomy of 2 h - Includes recharge base - 2 Ni-Cd batteries - 2 modules - Led white light of high luminous efficiency - ON/OFF switch and SPOT button to increase the luminosity when necessary - Replaceable Ni-MH batteries without memory effect - 2 modules - To be combined with support and beautifying plate - It includes fronts in white and dark finishes. General features

Classia - acoustic and light signalling

ETIM for R4380 Luminaires (EC001957)

Feature Name

Feature Value

Lamp type (EF002423)

LED non-replaceable

Mounting method (EF000003)

Built-in

RAL-number housing (EF012502)  
9003  
Material cover (EF004284)  
Plastic opal  
Built-in height/depth (EF023518)  
33.2 mm  
With remote switch connection (EF007947)  
No  
Recognition distance (EF008732)  
3 m  
Monitoring equipment (EF008091)  
None  
Protection class according to IEC 61140 (EF000004)  
None  
Height/depth (EF001456)  
43 mm  
Width (EF000008)  
44 mm  
Built-in width (EF000846)  
44 mm  
Built-in length (EF004265)  
44 mm  
Degree of protection (IP) (EF005474)  
IP20  
Voltage type (EF000187)  
AC  
Housing colour (EF000136)  
White  
Function (EF000030)  
Escape route lighting/signage  
Nominal voltage (EF005127)  
110 V  
Power supply system (EF000233)  
Central (central battery)  
Battery technology (EF004351)  
NiMH  
Nominal operation time (EF012518)  
2 h  
Length (EF001438)  
44 mm  
Suitable for continuous circuit (EF017056...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / R4380 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.