

INDUSTRIAL COMPONENT DATA**RG4027N BTCINO CL-CONM DOUBLE 16A 1M DARK**

Brand: BTCINO | Manufacturer Part Number: RG4027N



Manufacturer	BTICINO
MPN / Reference	RG4027N
Catalog number	RG4027N
Category	Venetian blind switch/-push button
Minimum order	1 Pcs
Document ID	EO-7CFD0BF1DD
Generated	2026-07-29

Product Overview

CL-CONM DOUBLE 16A 1M DARK

Classia Double Switch 1-0-2 Blinds - Black - 1 module

Double switch 1-0-2 for Classia blinds - Black - 1mod

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO****Additional Product Information**

Product features

Blind mechanisms - Double switch 1-0-2 - 16 A-250 Vac - One press to activate the maneuver, another press on the opposite button to stop it - 1 module - To be combined with bracket and trim plate - Black General features

Classia - shutter mechanisms

ETIM for RG4027N Domestic wiring accessories and controls (EC000044)

Feature Name

Feature Value

Mechanical controllable (EF005993)

No

Label space/information surface (EF001035)

No

Material (EF002169)

Plastic

Surface finishing (EF006569)

Matt
Type of fastening (EF002442)
Other
Halogen free (EF000025)
Yes
Material quality (EF001257)
Thermoplastic
Mounting method (EF000003)
Flush mounted
Connection type (EF000124)
Screwed terminal
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
1
Transparent (EF006243)
No
Compatible with Apple HomeKit (EF014925)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of poles (EF001391)
1
Min. depth of built-in installation box (EF012278)
36.5 mm
Surface protection (EF000139)
Untreated
Built-in depth (EF000218)
26.5 mm
Number of buttons (EF003144)
0
RAL-number (similar) (EF003882)
9011
Model (EF000010)
1-pole push button
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
36.5 mm
Electronic controllable (EF006570)
No
IFTTT support available (EF011072)
No
Assembly arrangement (EF000005)
Basic unit

Device width (EF008808)
22 mm
Device height (EF008809)
45 mm
Rated current (EF000227)
10...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / RG4027N with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.