

INDUSTRIAL COMPONENT DATA**RG4180P BTCINO CL-BASE IT 2P+T 16A 1M DARK**

Brand: BTICINO | Manufacturer Part Number: RG4180P



Manufacturer	BTICINO
MPN / Reference	RG4180P
Catalog number	RG4180P
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-3BCADBE05C
Generated	2026-07-27

Product Overview

CL-BASE IT 2P+T 16A 1M DARK

Base 2P+T Classia - Italian standard - connection by screws - Dark - 1 module

Base 2P+T Classia - Italian Standard - Dark - 1mod

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	BTICINO
--------------	---------

Additional Product Information

Product features

This socket allows you to connect an electrical or electronic device with 10 and 16A Italian standard plugs, child protection blinds, black General features

Classia - international current bases

ETIM for RG4180P Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)

16 A

Rotated central insert (EF001331)

No

Material quality (EF001257)

Thermoplastic
Mounting method (EF000003)
Flush mounted
Special power supply (EF001334)
EV006426
Connection type (EF000124)
Screw terminal
Fault current protection (EF001333)
No
Nominal voltage (EF000002)
250 V
Number of modules (module system) (EF009573)
1
Compatible with Apple HomeKit (EF014925)
No
Eject-mechanism (EF001051)
No
Compatible with Amazon Alexa (EF014927)
No
Compatible with Google Assistant (EF014926)
No
Number of ports USB-C (EF017049)
0
Min. depth of built-in installation box (EF012278)
42.5 mm
Imprint/indication (EF003823)
None
With hinged lid (EF000117)
Yes
Number of ports USB-A (EF000997)
0
Metallic colour (EF015260)
No
With Wi-Fi signal repeater (EF013509)
No
RAL-number (similar) (EF003882)
7015
Model (EF000010)
Italian type P17/11
Number of socket outlets switchable (EF008814)
0
Suitable for degree of protection (IP) (EF006755)
IP20
Device depth (EF008810)
42.5 mm
Impact strength (EF004293)
IK04

Anti-bacterial treatment (EF023790)

No

Protective contact (EF017116)

Round

Device width (EF008808)

22 mm

With on/off switch (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / RG4180P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.