

INDUSTRIAL COMPONENT DATA**YG4915M2 BTCINO LW-KEY ILU BASC 2M ST**

Brand: BTICINO | Manufacturer Part Number: YG4915M2



Manufacturer	BTICINO
MPN / Reference	YG4915M2
Catalog number	YG4915M2
Category	Control element/cover plate for domestic switching devices
Minimum order	10 Pcs
Document ID	EO-94C5A7059A
Generated	2026-07-29

Product Overview

LW-KEY ILU BASC 2M ST

Cover lamp 2m

Light Now neutral rocker key - 2 modules - Stone

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **BTICINO > MATIX MECHANISMS****Additional Product Information**

Key for the aesthetic finish of the Light Now tilting mechanism, without screen printing. 2 modulesModel Single push button

Printing/Marking none

Tangible/barrier-free symbol No

Use Other

Suitable for connection of bus system pushbuttons No

Attachment Type Lock in position

Light Output/Control Window Yes

Material Plastic

Material quality Thermoplastic

Halogen-free Yes

Surface treatment Varnishing

Surface Finish Mate

Antibacterial treatment No

Colour Grey

RAL number (similar) 7008
With label area No
With interchangeable lens/symbol No
Suitable for protection grade (IP) Other
Impact resistance IK04
Width 45 mm
Height 45 mm
Depth 8.5 mm
Operating Temperature -5-35 °C
Storage temperature -10-70 °C
ETIM for YG4915M2 Domestic wiring accessories and controls (EC000011)
Feature Name
Feature Value
Height (EF000040)
45 mm
RAL-number (similar) (EF003882)
7008
Model (EF000010)
One-part button
Suitable for touch sensor connector for bus system (EF007802)
No
Material (EF002169)
Plastic
Utilization (EF000133)
Other
Monitoring window/light outlet (EF003864)
Yes
Surface finishing (EF006569)
Matt
Type of fastening (EF002442)
Engage (snap)
Suitable for degree of protection (IP) (EF006755)
Other
Material quality (EF001257)
Thermoplastic
Halogen free (EF000025)
Yes
With exchangeable lens/symbol (EF006039)
No
With label area (EF005040)
No
Scannable symbol/barrier free (EF012306)
No
Anti-bacterial treatment (EF023790)
No
Impact strength (EF004293)
IK04

Imprint/indication (EF003823)

None

Depth (EF0...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / YG4915M2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.