

INDUSTRIAL COMPONENT DATA

YG4916SM2 BTCINO LW-LW KEY IL AX. CALD. 2M ST

Brand: BTICINO | Manufacturer Part Number: YG4916SM2



Manufacturer	BTICINO
MPN / Reference	YG4916SM2
Catalog number	YG4916SM2
Category	Control element/cover plate for domestic switching devices
Minimum order	5 Pcs
Document ID	EO-F39DDB6D3A
Generated	2026-08-03

Product Overview

LW-LW KEY IL AX. CALD. 2M ST

Light Now axial key boiler symbol - 2 modules - Stone

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path BTICINO > MATIX MECHANISMS

Additional Product Information

Key for the aesthetic finish of the Light Now axial mechanism, with screen-printed boiler. Model Single push button

Printing/Marking Other

Tangible/barrier-free symbol No

Use Other

Suitable for connection of bus system pushbuttons No

Attachment Type Lock in position

Light Output/Control Window Yes

Material Plastic

Material quality Thermoplastic

Halogen-free Yes

Surface treatment Varnishing

Surface Finish Mate

Antibacterial treatment No

Colour Grey

RAL number (similar) 7008

With label area No
With interchangeable lens/symbol No
Suitable for protection grade (IP) Other
Impact resistance IK04
Width 45 mm
Height 45 mm
Depth 8.5 mm
Operating Temperature -5-35 °C
Storage temperature -10-70 °C
ETIM for YG4916SM2 Domestic wiring accessories and controls (EC000011)
Feature Name
Feature Value
Height (EF000040)
45 mm
RAL-number (similar) (EF003882)
7008
Model (EF000010)
One-part button
Suitable for touch sensor connector for bus system (EF007802)
No
Material (EF002169)
Plastic
Utilization (EF000133)
Other
Monitoring window/light outlet (EF003864)
Yes
Surface finishing (EF006569)
Matt
Type of fastening (EF002442)
Engage (snap)
Suitable for degree of protection (IP) (EF006755)
Other
Material quality (EF001257)
Thermoplastic
Halogen free (EF000025)
Yes
With exchangeable lens/symbol (EF006039)
No
With label area (EF005040)
No
Scannable symbol/barrier free (EF012306)
No
Anti-bacterial treatment (EF023790)
No
Impact strength (EF004293)
IK04
Imprint/indication (EF003823)

Other

Depth (EF000049)...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send BTICINO / YG4916SM2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.