

INDUSTRIAL COMPONENT DATA

PS21L-PS11P0-T00 CARLO GAVAZZI The end of the race-actuator push button-metal, contacts 1 no + 1 NC fast, Wi..

Brand: CARLO GAVAZZI | Manufacturer Part Number: PS21L-PS11P0-T00



Manufacturer	CARLO GAVAZZI
MPN / Reference	PS21L-PS11P0-T00
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-D27FA1E7A9
Generated	2026-08-06

Product Overview

The end of the race-actuator push button-metal, contacts 1 no + 1 NC fast, Wide 30,3 mm

Final degree

Electromechanical limit switch; metal plunger; 30x30mm plastic housing; 1NO+1NC snap-on contacts; PG13,5 cable gland; IP65; -25 - +70C operating temperature

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path CARLO GAVAZZI > Sensors > Light Curtains and Safety Light Curtains

Additional Product Information

Specifications

Actuation typePlungerSwitching functionQuick-action switchNumber of contacts as normally open contact1Normally open contactsNumber of contacts as normally closed contact1Normally closed contactsHousing materialPlasticDegree of protectionIP65Operating temperature-25 °C ... 70 °CWidth30.3 mm

ETIM for PS21L-PS11P0-T00 Sensors (EC000030)

Feature Name

Feature Value

Width sensor (EF007094)

30.3 mm

Diameter sensor (EF007111)

0 mm
Height of sensor (EF007283)
30 mm
Length of sensor (EF007334)
73 mm
Rated operation current I_e at AC-15, 24 V (EF007084)
10 A
Rated operation current I_e at AC-15, 125 V (EF007082)
5.5 A
Rated operation current I_e at AC-15, 230 V (EF001385)
3.1 A
Rated operation current I_e at DC-13, 24 V (EF007087)
2.8 A
Rated operation current I_e at DC-13, 125 V (EF007085)
0.6 A
Rated operation current I_e at DC-13, 230 V (EF001386)
0.27 A
Switching function (EF000189)
Quick-break switch
Switching function latching (EF007447)
No
Output electronic (EF006987)
No
Forced opening (EF006694)
Yes
Number of safety auxiliary contacts (EF006940)
2
Number of contacts as normally closed contact (EF008255)
1
Number of contacts as normally open contact (EF008256)
1
Number of contacts as change-over contact (EF008257)
0
Type of interface (EF006977)
None
Type of interface for safety communication (EF003956)
None
Construction type housing (EF004008)
Cuboid
Housing material (EF001596)
Plastic
Coating housing (EF001601)
Other
Type of control element (EF006976)
Plunger
Alignment...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / PS21L-PS11P0-T00 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.