


INDUSTRIAL COMPONENT DATA

RCP1100312VAC CARLO GAVAZZI Relay industrial plug-in RCP to base undecal 3 contacts, Amperage 10 A, Voltage ..

Brand: CARLO GAVAZZI | Manufacturer Part Number: RCP1100312VAC



Manufacturer	CARLO GAVAZZI
MPN / Reference	RCP1100312VAC
Catalog number	1100312
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-3AC5D5FFB9
Generated	2026-08-01

Product Overview

Relay industrial plug-in RCP to base undecal 3 contacts, Amperage 10 A, Voltage coil 12 VAC

Industrial plug-in relay RCP for undecal base 3 contacts, Amperage 10 A, Coil voltage 12 VAC

Industrial Electromechanical Relays series, 10A 250VAC/30VDC, 11 poles Undecal, 3PDT (3 Change Over contacts), Coil voltage 12VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	CARLO GAVAZZI > Switches > Industrials Relays and sockets
--------------	---

Additional Product Information

Specifications

Rated control supply voltage Us at AC 50HZ12 V ... 12 VRated control supply voltage Us at DC0 V ... 0 VNominal current10 A

Number of contacts as change-over contact3Type of electric connectionPlug-in connection; Plug-in connectionWith LED indicationYesMaterial contactOther not-copper alloys

ETIM for RCP1100312VAC Relays (EC001437)

Feature Name

Feature Value

Type of electric connection (EF003961)

Plug-in connection

With detachable clamps (EF003340)

No

Nominal current (EF000001)

10 A
Rated control supply voltage AC 50 Hz (EF003978)
12 V
Rated control supply voltage AC 60 Hz (EF003979)
12 V
Rated control supply voltage DC (EF003980)
0 V
Voltage type for actuating (EF008242)
AC
Drive, polarization (EF003355)
Polarity free
Drive, switching attitude (EF003356)
Mono stable
Number of contacts as change-over contact (EF008257)
3
With forced-guided contacts (EF003357)
No
Type of switch contact (EF003358)
Other
Complete with socket (EF003359)
No
With LED indication (EF005950)
Yes
Material of contact surface (EF004020)
Untreated
Material of contact insert (EF008521)
Thermoplastic
Material contact (EF007544)
Other not-copper alloys
Degree of protection (IP) (EF005474)
IP40
Width (EF000008)
35 mm
Height (EF000040)
66 mm
Depth (EF000049)
35.5 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / RCP1100312VAC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.