

**INDUSTRIAL COMPONENT DATA**

# RCP1100348VDC CARLO GAVAZZI Relay industrial plug-in RCP to base undecal 3 contacts, Amperage 10 A, Voltage ..

Brand: CARLO GAVAZZI | Manufacturer Part Number: RCP1100348VDC



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | CARLO GAVAZZI   |
| MPN / Reference | RCP1100348VDC   |
| Catalog number  | 1100348         |
| Category        | Switching relay |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-8B2D5A2456   |
| Generated       | 2026-08-01      |

## Product Overview

Relay industrial plug-in RCP to base undecal 3 contacts, Amperage 10 A, Voltage coil 48 VDC

Industrial plug-in relay RCP for undecal base 3 contacts, Amperage 10 A, Coil voltage 48 VDC

Industrial Electromechanical Relays series, 10A 250VAC/30VDC, 11 poles Undecal, 3PDT (3 Change Over contacts), Coil voltage 48VDC

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **CARLO GAVAZZI > Switches > Industrials Relays and sockets**

## Additional Product Information

**Specifications**

Rated control supply voltage Us at AC 50HZ0 V ... 0 VRated control supply voltage Us at DC48 V ... 48 VNominal current10

ANumber of contacts as change-over contact3Type of electric connectionPlug-in connection; Plug-in connectionWith LED

indicationYesMaterial contactOther not-copper alloys

ETIM for RCP1100348VDC Relays (EC001437)

Feature Name

Feature Value

Type of electric connection (EF003961)

Plug-in connection

With detachable clamps (EF003340)

No

Nominal current (EF000001)

10 A  
Rated control supply voltage AC 50 Hz (EF003978)  
0 V  
Rated control supply voltage AC 60 Hz (EF003979)  
0 V  
Rated control supply voltage DC (EF003980)  
48 V  
Voltage type for actuating (EF008242)  
DC  
Drive, polarization (EF003355)  
Polarity free  
Drive, switching attitude (EF003356)  
Mono stable  
Number of contacts as change-over contact (EF008257)  
3  
With forced-guided contacts (EF003357)  
No  
Type of switch contact (EF003358)  
Other  
Complete with socket (EF003359)  
No  
With LED indication (EF005950)  
Yes  
Material of contact surface (EF004020)  
Untreated  
Material of contact insert (EF008521)  
Thermoplastic  
Material contact (EF007544)  
Other not-copper alloys  
Degree of protection (IP) (EF005474)  
IP40  
Width (EF000008)  
35 mm  
Height (EF000040)  
66 mm  
Depth (EF000049)  
35.5 mm

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / RCP1100348VDC with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.