

INDUSTRIAL COMPONENT DATA

ET272DINMV53X2SX CARLO GAVAZZI Function: Energy analyzer , Mounting: DIN Rail, Power supply: Self power supp..

Brand: CARLO GAVAZZI | Manufacturer Part Number: ET272DINMV53X2SX



Manufacturer	CARLO GAVAZZI
MPN / Reference	ET272DINMV53X2SX
Catalog number	10000
Category	Through beam photoelectric sensor
Minimum order	1 Pcs
Document ID	EO-80F004CB93
Generated	2026-08-03

Product Overview

Function: Energy analyzer , Mounting: DIN Rail, Power supply: Self power supply, Output digital input: None, Input type: 3-phase AC , Connection: CT/VT, Communication: Dual RS485 serial communication port, Range: 230VLN/400VLL AC, Display: None, Variables: kWh, kvarh, V, A, W, Digital inputs: None, Pulse: None, Alarms: None, Analogue: none
Transducer power for 2 measures three-phase or 6 single phase, Mounting DIN rail
Three-phase Energy Transducer, Self-addressing via VMU-C, RS485 Modbus RTU, TCDxM current input

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path CARLO GAVAZZI > Controls > Digital Panel Meters and temperature

Additional Product Information

FUNCTION Energy analyzer
MOUNTING DIN Rail
POWER SUPPLY Self power supply
OUTPUT DIGITAL INPUT None
INPUT TYPE 3-phase AC
CONNECTION CT/VT
COMMUNICATION Dual RS485 serial communication port
RANGE 230VLN/400VLL AC
DISPLAY None

VARIABLES kWh, kvarh, V, A, W
DIGITAL INPUTS None
PULSE None
ALARMS None
ANALOGUE none
ETIM for ET272DINMV53X2SX Sensors (EC002716)
Feature Name
Feature Value
Scope of delivery of the one-way system (EF004032)
Receiver
Max. opening angle (EF002642)
0 °
Pre failure notice (EF004129)
No
With time function (EF003582)
No
Rated switching distance (EF008289)
20000 mm
Max. switching distance (EF007367)
20000 mm
Max. output current (EF001315)
200 mA
With reflector (EF007448)
No
Analogue output 0 V ... 10 V (EF006807)
No
Analogue output 0 mA ... 20 mA (EF006808)
No
Analogue output 4 mA ... 20 mA (EF006810)
No
Analogue output -10 V ... +10 V (EF006809)
No
With other analogue output (EF007485)
No
Setting procedure (EF003994)
Manual adjustment
With communication interface analogue (EF007305)
No
With communication interface AS-Interface (EF007306)
No
With communication interface CANOpen (EF007307)
No
With communication interface DeviceNet (EF007308)
No
With communication interface Ethernet (EF007309)
No
With communication interface INTERBUS (EF007310)

No
With communication interface PROFIBUS (EF007311)
No
With communication interface RS-232 (EF007312)
No
With communication interface RS-422 (EF007313)
No
With communication interface RS-485 (EF007314)
No
With communic...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / ET272DINMV53X2SX with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.