

INDUSTRIAL COMPONENT DATA

NFD2006VDC CARLO GAVAZZI Emrelay Flangefast 2Dpst 25A Coil 6Vdc

Brand: CARLO GAVAZZI | Manufacturer Part Number: NFD2006VDC



Manufacturer	CARLO GAVAZZI
MPN / Reference	NFD2006VDC
Catalog number	10000
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-D0820972AA
Generated	2026-08-05

Product Overview

Emrelay Flangefast 2Dpst 25A Coil 6Vdc

Power Electromechanical Relays series, 25A 277VAC/28VDC, Flange and Fast-on terminals, Panel Mounting, DPST (2 Normally Open contacts), Coil voltage 6VDC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **CARLO GAVAZZI > Switches > Industrials Relays and sockets**

Additional Product Information

Specifications

Rated control supply voltage Us at AC 50HZ0 V ... 0 VRated control supply voltage Us at DC6 V ... 6 VNominal current25

ANumber of contacts as normally closed contact2Number of contacts as normally open contact2Number of contacts as

change-over contact2Type of electric connectionPlug-in connection; Plug-in connectionWith LED indicationNoMaterial

contactBeryllium copper

ETIM for NFD2006VDC Relays (EC001437)

Feature Name

Feature Value

Type of electric connection (EF003961)

Plug-in connection

With detachable clamps (EF003340)

No

Nominal current (EF000001)

25 A
Rated control supply voltage AC 50 Hz (EF003978)
0 V
Rated control supply voltage AC 60 Hz (EF003979)
0 V
Rated control supply voltage DC (EF003980)
6 V
Voltage type for actuating (EF008242)
DC
Drive, polarization (EF003355)
Polarity free
Drive, switching attitude (EF003356)
Mono stable
Number of contacts as normally closed contact (EF008255)
2
Number of contacts as normally open contact (EF008256)
2
Number of contacts as change-over contact (EF008257)
2
With forced-guided contacts (EF003357)
No
Type of switch contact (EF003358)
Double contact
Complete with socket (EF003359)
No
With LED indication (EF005950)
No
Material of contact surface (EF004020)
Silver
Material of contact insert (EF008521)
Thermoplastic
Material contact (EF007544)
Beryllium copper
Degree of protection (IP) (EF005474)
IP00
Width (EF000008)
50 mm
Height (EF000040)
51 mm
Depth (EF000049)
47 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / NFD2006VDC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.