

## INDUSTRIAL COMPONENT DATA

# PS21H-MS11HC-Y00 CARLO GAVAZZI Ps 30Mm Mt 1No+1Nc Snap(+) Head Hc

Brand: CARLO GAVAZZI | Manufacturer Part Number: PS21H-MS11HC-Y00



|                 |                  |
|-----------------|------------------|
| Manufacturer    | CARLO GAVAZZI    |
| MPN / Reference | PS21H-MS11HC-Y00 |
| Catalog number  | 10000            |
| Category        | Hinge switch     |
| Minimum order   | 1 Pcs            |
| Document ID     | EO-1E21A0A8D3    |
| Generated       | 2026-08-05       |

## Product Overview

Ps 30Mm Mt 1No+1Nc Snap(+) Head Hc

Electromechanical safety limit switch; adjustable rotative lever; 30x30mm metal housing; 1NO+1NC snap-on contacts; M20 cable gland; IP66; -25 - +70C operating temperature

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path CARLO GAVAZZI &gt; Sensors &gt; Light Curtains and Safety Light Curtains

## Additional Product Information

## Specifications

Control elementFull shaftSwitching functionSlow-action switch0Normally open contacts; 0Normally closed contactsHousing materialPlasticDegree of protectionIP66

ETIM for PS21H-MS11HC-Y00 Sensors (EC002591)

Feature Name

Feature Value

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Type of control element (EF006976)

Full shaft

Forced opening (EF006694)

No

Number of safety auxiliary contacts (EF006940)

0

Number of contacts as normally closed contact (EF008255)

0

Number of contacts as normally open contact (EF008256)

0

Number of contacts as change-over contact (EF008257)

0

Type of switching contact (EF003591)

Slow-action switch

Width sensor (EF007094)

0 mm

Height of sensor (EF007283)

0 mm

Length of sensor (EF007334)

0 mm

Rated operation current  $I_e$  at AC-15, 24 V (EF007084)

0 A

Rated operation current  $I_e$  at AC-15, 125 V (EF007082)

0 A

Rated operation current  $I_e$  at AC-15, 230 V (EF001385)

0 A

Rated operation current  $I_e$  at DC-13, 24 V (EF007087)

0 A

Rated operation current  $I_e$  at DC-13, 125 V (EF007085)

0 A

Rated operation current  $I_e$  at DC-13, 230 V (EF001386)

0 A

Construction type housing (EF004008)

Cuboid

Housing material (EF001596)

Plastic

Coating housing (EF001601)

Anodised

Type of electric connection (EF003961)

Cable entry metrical

Explosion safety category for gas (EF003997)

ATEX gas-ex-protection, Cat. 1G

Explosion safety category for dust (EF003998)

ATEX dust-ex-protection, Cat. 1D

Type of interface (EF006977)

AS-Interface

Type o...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / PS21H-MS11HC-Y00 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.