

INDUSTRIAL COMPONENT DATA

FMB01DW24 CARLO GAVAZZI Selected parameters

FUNCTION Multi-function OUTPUT SIGNAL 2 relays Others

INPUT RANG..

Brand: CARLO GAVAZZI | Manufacturer Part Number: FMB01DW24



Manufacturer	CARLO GAVAZZI
MPN / Reference	FMB01DW24
Catalog number	10000
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-981DFF9EB3
Generated	2026-07-31

Product Overview

Selected parameters FUNCTION Multi-function OUTPUT SIGNAL 2 relays Others INPUT RANGE 0,02 s - 300 h
MOUNTING Panel/Plug-in SIZE 48x48 mm POWER SUPPLY RANGE 12÷240 VAC/DC SOCKET Circular
Front Panel Mount Timer, Multifunction, Base, DPDT 8A Output, 7 Functions
Multifunctions Timer with selectable time ranges 11-pin plug-in connection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **CARLO GAVAZZI > Controls > Timers**

Additional Product Information

Specifications

MountingFront panelTrigger inputManualInterval sub-functionDouble interval; Interval on trigger openRecycler
sub-functionSymmetrical recyclerOutput2 relays
ETIM for FMB01DW24 Relays (EC001439)
Feature Name
Feature Value
Type of electric connection (EF003961)
Plug-in connection
Function delay-on energization (EF003374)
Yes

Function delay on de-energization (EF003401)

Yes

Function floating contact on energization (EF003378)

No

Function floating contact on de-energization (EF003402)

No

Function star-delta (EF003380)

No

Function pulse shaping (EF003403)

Yes

Function flashing, starting with pause, fixed time (EF003363)

No

Function flashing, starting with pulse, fixed time (EF003364)

No

Clock function, starting with pause, variable (EF003365)

Yes

Clock function, starting with pulse, variable (EF003366)

Yes

Remote operation possible (EF003361)

Yes

Suitable as remote control (EF003362)

No

Pluggable on auxiliary contact block (EF006952)

Yes

Rated control supply voltage AC 50 Hz (EF003978)

10.2 V

Rated control supply voltage AC 60 Hz (EF003979)

10.2 V

Rated control supply voltage DC (EF003980)

10.2 V

Voltage type for actuating (EF008242)

AC/DC

Time range (EF003384)

0.02 s

Number of outputs, delayed, change-over contact (EF006840)

2

Outputs, reversible delayed/undelayed (EF006988)

No

With semiconductor output (EF003373)

No

Suitable for DIN rail (top hat rail) mounting (EF007250)

No

Width (EF000008)

48 mm

Height (EF000040)

48 mm

Depth (EF000049)

83.4 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / FMB01DW24 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.