

INDUSTRIAL COMPONENT DATA

FAA08DW24 CARLO GAVAZZI Selected parameters

FUNCTION Multi-function OUTPUT SIGNAL 2 relays Others

INPUT RANG..

Brand: CARLO GAVAZZI | Manufacturer Part Number: FAA08DW24



Manufacturer	CARLO GAVAZZI
MPN / Reference	FAA08DW24
Catalog number	10000
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-EB6B22311C
Generated	2026-08-01

Product Overview

Selected parameters FUNCTION Multi-function OUTPUT SIGNAL 2 relays Others INPUT RANGE 0,02 s - 300 h
MOUNTING Panel/Plug-in SIZE 48x48 mm POWER SUPPLY RANGE 12÷240 VAC/DC SOCKET Circular
Front Panel Mount Timer, Multifunction, Octal Base, DPDT 8A Output, 4 Functions
Multifunctions Timer with selectable time ranges 8-pin plug-in connection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path CARLO GAVAZZI > Controls > Timers

Additional Product Information

Specifications

MountingFront panelTrigger inputAutomaticRecycler sub-functionSymmetrical recycler; One shotOutput2 relays

ETIM for FAA08DW24 Relays (EC001439)

Feature Name

Feature Value

Type of electric connection (EF003961)

Plug-in connection

Function delay-on energization (EF003374)

Yes

Function delay on de-energization (EF003401)

No
Function floating contact on energization (EF003378)
No
Function floating contact on de-energization (EF003402)
No
Function star-delta (EF003380)
No
Function pulse shaping (EF003403)
No
Function flashing, starting with pause, fixed time (EF003363)
Yes
Function flashing, starting with pulse, fixed time (EF003364)
No
Clock function, starting with pause, variable (EF003365)
No
Clock function, starting with pulse, variable (EF003366)
Yes
Remote operation possible (EF003361)
No
Suitable as remote control (EF003362)
No
Pluggable on auxiliary contact block (EF006952)
Yes
Rated control supply voltage AC 50 Hz (EF003978)
10.2 V
Rated control supply voltage AC 60 Hz (EF003979)
10.2 V
Rated control supply voltage DC (EF003980)
10.2 V
Voltage type for actuating (EF008242)
AC/DC
Time range (EF003384)
0.02 s
Number of outputs, delayed, change-over contact (EF006840)
2
Outputs, reversible delayed/undelayed (EF006988)
No
With semiconductor output (EF003373)
No
Width (EF000008)
48 mm
Height (EF000040)
48 mm
Depth (EF000049)
83.4 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send CARLO GAVAZZI / FAA08DW24 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.